

During my first year as Registrar, I have spent many hours researching answers to questions that ultimately have already been addressed by my predecessors. Since many of the same questions continue to arise, I have resurrected many discussion topics gleaned from previous publications and updated each to reflect current practices and policies. Within these topics are references to web addresses where more complete information can be found. For those of you with no computer access, please call and I will make sure you get hard copies of any desired materials. Many thanks go to each prior Registrar for allowing me to shamelessly plagiarize their work, and as each one of them has stated, "**registrations are only as good as the quality of information provided by those who register their plants.**" I wish to thank all those who submitted registration applications this year. Everyone has been extremely helpful and patient during the back-and-forth communications that occur during this process. Finally, my sincerest appreciation to **Warren Pollock** and **Donald Rawson** for their enthusiastic, consistent and patient support.

We now have a total of 5747 registered hostas.

Respectfully submitted,



Gayle Hartley Alley
International Registrar for the Genus *Hosta*
33001 E 155th Street
Pleasant Hill, MO 64080-9365
(816) 697-2007 or (816) 914-3220
GiboshiGayle@gmail.com or HostaRegistry@gmail.com

Registration forms are available:

On the final pages of this publication

At http://www.hostaregistrar.org/registration_form-printable.html or
<http://www.americanhostasociety.org/RegisteringHosta/RegisteringHosta.htm>

Or - contact me personally to request a copy

NOTE: Online registration at <http://www.hostaregistrar.org/Registration/> does not require the use of a hard-copy form.

Contents

International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition	5
Name Release Form	5
Photograph Requirements	5
Limitations of the Online Search Feature.....	5
Registration Errors	6
Rounding of Dimensions.....	6
Cultivar Name Establishment.....	6
AHS Name Reservation Policy	7
Flowering Periods	7
Clump Sizes.....	7
Color Selection for Leaf and Margins	7
Indicating Ploidy in Registrations	7
Complete Index to Hosta Registrations.....	7
Plant Patents, Plant Breeders' Rights and Establishment	8
Corrections and Comments	8
2016 Registrations	10
Registration Form(s)	26

International Code of Nomenclature for Cultivated Plants (ICNCP) Ninth Edition

... is the official publication incorporating the Rules and Recommendations for naming plants in cultivation. The Ninth Edition of the ICNCP was published by the International Society for Horticultural Science (ISHS) in June 2016. Hereafter, the ICNCP will be referred to simply as "the *Code*."

Name Release Form

Per the *Code*, permission must be granted for a real person's name to be used as the registered name of a cultivar. Permission forms are available from the American Hosta Society or the Hosta Registry at:

<http://www.americanhostasociety.org/RegisteringHosta/name-release.pdf> or

http://www.hostaregistrar.org/registration_form-printable.html

Photograph Requirements

The AHS assembled a team late in 2015 whose purpose is to assemble and publish photographs of all registered hostas. Historically, digital photos were requested to be reduced in size before submittal to the registrar. This policy was enacted to conserve hard drive space and to enable efficient emailing. Commencing in 2017, all photographs should be submitted with no reduction or file compression. We also ask that registrants supply a minimum of three photos per registration; one of the entire clump, one close-up showing a representative leaf and one close-up of the flower. Please provide the photographer's full name and the date each photo was taken. With registration photos being published, it is important to portray your cultivar's noteworthy feature(s). For example, if red spotted petioles make your hosta unique – provide a photograph that adequately showcases this characteristic. There is no limit on the number of photographs that may be submitted.

Limitations of the Online Search Feature

As many people have noticed, what appears in the online Hosta Registry is not the same as what appears in the printed *Registrations* issue(s). While the online search feature has proven to be of great service to those doing casual research, the contents cannot be relied upon to accurately portray official registration details. Limitations imposed by the database used to manage the official data, and how that information is exported out for subsequent import into a separate database, guarantees that discrepancies will occur. A full explanation of the rounding errors problem can be found on page 4 of the *2010 Registrations* issue. Similarly, fields that allow entering a range of dimensions (such as Scape Height) do not provide a range for the metric equivalent when viewed online. Examples of discrepant information also occur within pure textual data. An example which illustrates differences commonly encountered is shown below for *H. 'Curly Fries'*.

Search Results	<i>H. 'Curly Fries'</i>	R. Solberg (ONIR)
1 hosta found. (showing 1 to 1)		
'Curly Fries' R. Solberg (ONIR) 2008		
Plant: 16 in. (41 cm) diameter, 5 in. (13 cm) high; slightly rhizomatous; fast.	Plant: 16 in. (40.6 cm) diameter, 5 in. (12.7 cm) high; slightly rhizomatous; fast growth rate.	
Leaf: 5.50 in. (13 cm) long, 0.75 in. (1 cm) wide; 3 to 4 pairs of veins; greenish yellow; heavily rippled; slightly shiny on top; glaucous bloom underneath; moderately folded, intensely wavy; lance; tapered base; petiole is wide 1/4" to 3/8", purple on back.	Leaf: 5.5 in. (14 cm) long, .75 in. (1.9 cm) wide; 3 to 4 vein pairs; greenish yellow; heavily rippled margin; slightly shiny on top; glaucous bloom underneath; lance; tapered base; lightly twisted, moderately folded, moderately wavy; petiole purple red to leaf back; front of petiole green with white.	
Scape: 23 to 26 in. (58 cm) long; purple.	Scape: 23 to 26 in. (58.4 to 66 cm) long; purple.	
Flower: 2 in. (5.58 cm) long; lavender with purple stripes, tubular; Chapel Hill, NC July 15 to Aug 15.	Flower: 2 in. (5.1 cm) long; medium lavender; lavender with purple stripes, tubular; Chapel Hill, NC. 7/10, 7/20, 8/10	
Clump History: the original seedling; 5 yrs old; Chapel Hill, NC;	Clump History: original seedling; 5 yrs old; Chapel Hill, NC.	
Notable Characteristics: unique highly ruffled narrow lanceolate leaves with very good substance and unique color, chartreuse becoming yellow or cream	Notable Characteristics: unique highly ruffled narrow lanceolate leaves with very good substance and unique color; chartreuse.	
Seasonal Variation: leaves become creamy white or pale yellow in summer	Seasonal Variation: leaves become creamy white or pale yellow in summer.	
[<i>H. 'Pineapple Upsidedown Cake'</i> x unknown]	[<i>H. 'Pineapple Upsidedown Cake'</i> x unknown]	

This information is provided as a reminder that official registration details are always per the printed *Registrations* issue published each year.

Registration Errors

As has been the policy for a number of years, clear typographical and/or data entry errors are easily corrected by updating the database itself and by publishing those corrections within this document. I encourage anyone finding what they believe to be such errors to contact me so I can make corrections as needed.

Not so straight-forward are instances where the published data accurately reflects the registrant's information at the time the registration was approved and published, yet later proves to be misleading or outright erroneous. In these cases, **the registrant must approve any changes.**

In cases where the original registrant is not available and obvious errors are noted, we have typically** ignored the problem and attempted to work around it. An example would be the registration of *H. 'Love Pat'* that has been discussed in depth, yet still remains as originally registered. In an effort to discontinue the practice of "working around" questionable registrations, the registrar's office now sanctions using the following materials when researching details for mature registered cultivars; most notably for AHS Show Classification purposes.

- *Mark Zilis' Field Guide to Hostas* by Mark R. Zilis, 2014 (Q & Z Nursery, Inc. Rochelle, IL)
- *The Hostapedia An Encyclopedia of Hostas* by Mark R. Zilis, 2009 (Q & Z Nursery, Inc. Rochelle, IL)

The official registration of hosta cultivars continues to be per the printed Registrations issue published each year. We acknowledge that official registrations are a mere "snapshot in time" providing only static details. Registration data is gathered at a single geographic location and the state of maturity will vary from quite young to fully mature. Thus, original data may fall short of supplying complete, real-life details. When you have need for more information than what is contained in this document, you will find relevant, accurate, and interesting information in the reference materials listed above.

A non-typical response to this scenario was undertaken by Kevin Walek and was published in the *2010 Registrations* issue. Much time and effort was spent by Kevin in researching, collecting and verifying information necessary to **Re-Register eight named cultivars. Current policy is the Re-Registration solution is too labor intensive and error prone to be considered a viable option going forward.

Rounding of Dimensions

In the future, all registration dimensions will be rounded to the nearest tenth of an inch (English) or tenth of a centimeter (Metric). Rounding dimensions to the nearest tenth means the published dimension will always be within .05 of the original before it was rounded. English dimensions submitted as fractions are converted to their decimal equivalent prior to being recorded in the database, and prior to rounding. The example below illustrates the rounding policy.

A registrant submits a leaf size of $5/8" \times 2 \frac{1}{4}"$. The decimal equivalent $.625" \times 2.25"$ is entered into the database. After rounding, the published size is $.6" \times 2.3"$. The first rounded dimension is only .025" different from the original, and the second is only .05" different. Both are insignificant, even in the realm of miniature leaf sizes.

All conversions from Metric to English (or English to Metric), are done before any rounding occurs. A registration that submits Metric dimensions of $3.65\text{cm} \times 4.75\text{cm}$ are converted first to English ($1.437" \times 1.870"$), then rounded to the nearest tenth of an inch. Thus, the rounded English dimensions would be $1.4" \times 1.9"$.

Cultivar Name Establishment

To establish a cultivar name, the *Code* calls for registrations to appear in a dated publication that is made publicly available. Thus, epithets that have not been published per this document are NOT guaranteed to be available for registration. Examples of how a name can be established outside of registration are: 1) if it has been listed in a nursery catalogue, 2) sold online under the name in question, or 3) a Plant Patent or Plant Breeders' Rights has been issued. Any of these scenarios might be sufficient to establish a name such that no one else can register a plant using that name.

AHS Name Reservation Policy

As the *Code* has no provision for name reservations, each plant society develops its own policies. To alleviate confusion, the American Hosta Society (AHS) adopted a formal policy on name reservations that was published in the *2013 Registrations* issue. After periodic revisions, the current name reservation policy is as follows.

“A cultivar name is reserved through the AHS Registrar. The reserved name does not require descriptive information, will be protected for a one time period of three years, and requires a \$10 reservation fee. A maximum of 15 reserved names may be held concurrently by any one registrant.”

Similar to the section titled "Cultivar Name Establishment," a reservation is NOT a guarantee, it is a place holder that limits the ability for another person to register a plant using your reserved name. This protection does not extend into the three areas where names may be established outside of registration.

Flowering Periods

Flowering periods may be entered using the codes per Key A (see instruction page of registration form) or using a "start-peak-finish" format (both options are available). If both types are entered, the general period description will appear in the formal registration. The more accurate "start-peak-finish" information will be published if it is the only flowering period entered.

Clump Sizes

There have been multiple changes in the registration form and the information required to adequately describe plant size. An option to indicate a general size description (miniature, small, medium, large and giant) was allowed at one point early on. After input and discussion, this option was discontinued in preference for utilizing dimensional measurements to indicate a plant's height and width. This will remain standard policy, with the understanding that dimensions reflect clump size at the age and location recorded in each registration.

Color Selection for Leaf and Margins

Commentary upon determining accurate margin or leaf colors was published in the *2008* and *2009 Registrations* issues (which can be retrieved online at http://www.hostaregistrar.org/hosta_registration_lists.html). While no color charts have been provided online (as promised) we recommend using charts provided by the Royal Horticultural Society when concerns about color arise.

Indicating Ploidy in Registrations

A comprehensive discussion regarding ploidy was printed in the *2009* thru *2011 Registrations* issues which can be retrieved online at http://www.hostaregistrar.org/hosta_registration_lists.html. Current policy prohibits the inclusion of ploidy terminology within registrations unless scientifically verified.

Complete Index to Hosta Registrations

Inclusion of a complete index within the *Registrations* issue was last undertaken in 2007. In 2008 the plan was to publish an updated hard-copy index every third year, but by 2011 the decision was made to provide this index exclusively online. The index can be found at http://www.hostaregistrar.org/hosta_registration_lists.html. Commencing with the *2016 Cumulative Index*, each registration now references the year it was registered, instead of the previous practice of listing THJ Volume and Registration Issue. Additionally, each entry will reference all years in which corrections or additions were published. We hope this will simplify the process of collecting official registration details for individual cultivars.

Donald Rawson, along with his wife Pamela, spent numerous hours verifying each and every item listed in the index and applying the preferred taxonomy notations. It is no small feat to check over 5700 registrations against data contained within nineteen (19) separate publications and their efforts are greatly appreciated. Thank you both.

Plant Patents, Plant Breeders' Rights and Establishment

The *Code*, page 64, under DIVISION IV: REGISTRATION OF NAMES states:

- 3) A statutory plant registration authority is an organization established by national legal enactment or by international treaty, which, as part of its remit, establishes variety denominations or other names for plants. Names established by statutory plant registration authorities must be cited in the relevant register and checklist.

A table of all hosta cultivars known to be established per statutory authorities is now included as Appendix A of the *2016 Cumulative Index*. Cultivars listed therein are "established" via the legal protection(s) shown and thus are not available for use by anyone other than the original applicant. See previous section (titled Complete Index to Hosta Registrations) for the web address where a copy of the *2016 Cumulative Index* can be retrieved.

Corrections and Comments

H. 'Bayside Regal' (2015) – was registered with incorrect Parentage. Correct information is:

Parentage: (*H. 'Krossa Regal'* × unknown)

H. 'Big Daddy' (1978) (RR2010) – despite findings by the AHS Cultivar Origination Commission (published in 2012 Registrations), the data for "Originator" failed to be updated. This correction is published to formally document that F. Shaw is the Originator for *H. 'Big Daddy'*

H. 'Blue Cadet' (1974) (RR2010) – despite findings by the AHS Cultivar Origination Commission (published in 2012 Registrations), the data for "Originator" failed to be updated. This correction is published to formally document that F. Shaw is the Originator for *H. 'Bue Cadet'*

H. 'Blue Moonlight Cup' (2015) – was registered with incorrect Parentage. Correct information is:

Parentage: (*H. 'Abiqua Drinking Gourd'* × *H. 'Empress Wu'*)

H. 'Coronation' (2006) – Per Registrant's request, the leaf size was changed from

"16.00 in (40 cm) long, 12.00 in. (30 cm) wide" to

"12in (30.5cm) long, 9in (23cm) wide"

H. 'Gallant Heart' (2009) – was registered from IAC list. Entire registration details are hereby revised to be per the original registration card submitted by L. K. Powell

H. 'Gallant Heart' L. Powell (ONIR)

Plant: 66in (167.6cm) diameter; 36in (91.4cm) high; mound-like.

Leaf: 9in (22.9cm) long; 7.5in (19.1cm) wide; 13 vein pairs; blue-green; glaucous bloom on top; thin glaucous bloom underneath; broadly ovate with cordate base; deeply cupped and corrugated overall.

Scape: 28in (71.1cm) high; blue-green

Flower: very pale lavender; lily-shaped; Jun 20 - Jul 15; Princeton, NC

Seed: sets seeds; viability unknown; dark green

Clump History: original seedling; Princeton, NC

Notable Characteristics: Rich bluish-green color, very cupped & puckered leaves that are exactly heart-shaped. Loleta named this cultivar on 8-29-88 and listed it for sale Fall-1988.

Parentage: *H. 'Puckered Giant'* x *H. sieboldiana 'Elegans'*

Seasonal Color: Turns dark green by mid-season.

H. 'Greenhead Charlie's Pride' (2009) (correction 2014) – clarification to leaf color is hereby published as: "... intensely blue-green; with 2.5 to 3.5in (6.4 to 8.9cm) wide, greenish yellow, slightly rippled margins ..."

H. 'Helen Field Fisher' (1970) – was registered with a typographical error and should have been registered as *H. 'Helen Field Fischer'*.

H. 'Jan's Gift' (2015) – Seasonal Color description has been changed from

“edge turns deeper cream with strong sun” to

“edge turns darker green with some sun”

H. 'Jen' (2000) – Per Registrant's request, the leaf size was changed from "12.0 in. (30.5 cm) long, 6.0 in (15.2 cm) wide" to "9in (22.9cm), 5.5in (14cm) wide"

H. 'Lakeside Dragonfly' (1997) – was registered with incomplete information. Plant size was changed from "30 in. (76.2 cm.)" to "30in (76.2cm) wide, 15in (38.1cm) high"

H. 'Lakeside Love Affaire' (1997) – was registered with incomplete information. Flower details were changed to include "1.75in (4.4cm) long"

H. 'Lakeside Party Dress' (1997) – was registered with incomplete information. Seed details were added to read:

Seed: sets viable seeds, pod is pale yellow-green

H. 'Majestic' (2005) – Per Registrant's request, the leaf size was changed from "10.0 in. (25.4 cm) long; 6 in (15.3 cm) wide" to "8in (20.3cm) long, 5in (12.7cm) wide"

H. 'Morning Light' (2000) – was registered with parentage as: [Sport of H. 'Twilight Sport']. The correct parentage should read: Sport of *H. 'Twilight'*

H. 'Number Nine' (2015) – Per Registrant's request, the seed details were changed from "does not set seed" to "sets viable seeds".

H. 'Phyllis' (2015) – was registered with names assigned as:

J. Weidman (ONI), D. Dean (R). The correct name assignments should be: D. Dean (O), J. Weidman (NIR).

H. 'Robin's Pride' (2000) – Per Registrant's request, the leaf size was changed from "14.0 in. (35.6 cm) long, 10.0 in. (25.4 cm) wide" to "8in (20.3cm) long, 6in (15.2cm) wide"

H. 'Rookie Mouse' (2015) – Per Registrant's request the flower details were changed from "**Flower:** 1 in. (2.5 cm) long, pale purple, tubular, Dobrzelin, Poland, 6/30-7/10-7/15" to "**Flower:** 1.5in (4cm) long; pale purple, striped, bell, Jul 1-Jul 15, Dobrzelin, Poland"

H. 'Royal Standard' (1986) – was registered with names assigned as: "Grulleman/Wayside/AHS." This is hereby corrected to read: "J. Grullemans/Wayside/AHS" (added first initial and "s" to name)

H. 'Sarah's Sister' (2015) – was registered with incorrect leaf coloration. Revised entries are:

Leaf: 8in (20.3cm) long; 6in (15.2cm) wide; 9 vein pairs, medium green with irregular gold streaks, .125 to .75 in (.3 to 1.9cm) wide, flat, yellow margin, slightly shiny on top, dull underneath, ovate with a rounded base, lightly corrugated, moderately flat.

Notable Characteristics: Gold streaks that lighten to cream are highly variable throughout the leaf and sometimes the margins as well.

Seasonal Color: golden streaks and yellow margins lighten to cream as the season progresses.

H. 'Saturday Morn' (2015) – was registered with a typographical error in the name and should have been registered as *H. 'Saturday Moon'*.

H. 'Tara' (2000) – Per Registrant's request, the leaf size was changed from "8.0 in. (20.3 cm) long, 6.0 in. (15.2 cm) wide" to "6in (15.2cm) long, 5in (12.7cm) wide"

H. 'War Party' (2000) – Per Registrant's request, the leaf size was changed from "14.0 in. (35.6 cm) long, 7.0 in. (17.8 cm) wide" to "8.5in (21.6cm) long, 5in (12.7cm) wide"

A

H. 'Ambrosia'

R. Solberg (ONIR)

Plant: 54in (137.2cm) diameter; 24in (61cm) high; mound-like; fast growth rate.**Leaf:** 11in (27.9cm) long; 8.5in (21.6cm) wide; 12 to 13 vein pairs; pale yellow with .625in (1.6cm) wide, medium blue-green, slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; lightly wavy overall.**Petiole Characteristics:** Central portion is pale yellow, margins are medium blue-green.**Scape:** 30 to 41in (76.2 to 104.1cm) high; greenish yellow**Flower:** 3in (7.6cm) long; fragrant; pale lavender; tubular; Jul 15 – Aug 15; Franklinton, NC**Clump History:** original sport; 4 years old; Franklinton, NC**Notable Characteristics:** Waxy leaves are light yellow with a blue margin, fragrant flowers and rapid growth rate.**Parentage:** Sport of *H. 'Guacamole'***Seasonal Color:** Pale yellow with blue margins become yellow and medium green when the wax disappears.*H. 'Anna the Stripper'*

B. & A. Barger (ONIR)

Plant: 14in (35.6cm) diameter; 12in (30.5cm) high; upright; slow growth rate.**Leaf:** 6.5in (16.5cm) long; 3in (7.6cm) wide; 12 to 15 vein pairs; golden yellow streaked with green; slightly rippled margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; lightly wavy overall.**Petiole Characteristics:** leaf coloration extends all the way down the petioles.**Scape:** 25 to 27in (63.5 to 68.6cm) high; white with green streaks**Flower:** 1in (2.5cm) long; pale lavender with white to cream coloured stripes; tubular; Jul 15 – Aug 15; Neustadt, ON, Canada**Seed:** does not set seed**Clump History:** original seedling; 6 yrs old; Neustadt, ON, Canada**Notable Characteristics:** Gold with green streaks that are ever-changing from one leaf to another.**Parentage:** Parentage unknown*H. 'Applique'*

C. L. Jones (ONIR)

Plant: 16in (40.6cm) diameter; 9in (22.9cm) high; mound-like; slow growth rate.**Leaf:** 5.75in (14.6cm) long; 2.75in (7cm) wide; 5 to 6 vein pairs; medium green with creamy white mottling & stripes; creamy white, .25in (1.3cm) wide, flat margins; slightly shiny on top; slightly shiny underneath; ovate with a tapered base.**Petiole Characteristics:** leaf striping extends down the petioles**Scape:** 9 to 10in (22.9 to 25.4cm) high; medium green**Flower:** 1in (2.5cm) long; white with deep purple stripes; tubular; Jul 15 – Aug 15; West Milton, OH**Seed:** does not set seeds**Clump History:** original sport; 4 years old; West Milton, OH**Notable Characteristics:** Thick, leathery leaves with very pronounced striping that extends down through the petiole. Shows some mottling.**Parentage:** Sport of unknown origin*H. 'Aroma of Arbutus'*

C. Kwick (ONIR)

Plant: 36in (91.4cm) diameter; 17in (43.2cm) high; rhizomatous.**Leaf:** 7.5in (19.1cm) long; 5in (12.7cm) wide; 7 to 8 vein pairs; light green; flat margins; slightly shiny on top; very shiny underneath; ovate with cordate base; moderately flat overall**Scape:** 30 to 40in (61 to 101.6cm) high; green**Flower:** 2.25in (5.7cm) long; pure white; tubular; Aug 15 – Oct 1; Eau Claire, WI**Seed:** sets seeds, viability not submitted**Clump History:** original seedling; 7 years old; Eau Claire, WI**Notable Characteristics:** Wonderful aroma of flower, like its namesake.**Parentage:** Parentage unknown*H. 'Audrey's Island'*

B. Moore (ONIR)

Plant: 22.5in (57.2cm) diameter; 12in (30.5cm) high; mound-like; moderate growth rate.**Leaf:** 4in (10.2cm) long; 3in (7.6cm) wide; 6 to 8 vein pairs; light green with yellow, .25in (0.6cm) wide, slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate; cordate base; moderately wavy overall.**Scape:** 16 to 18in (41 to 45.7cm) high; pale lavender**Flower:** 1.25in (3.18cm) long; pale lavender; bell-shaped; Jun 1 to Jul 15; Carrollton, GA**Seed:** sets non-viable seeds, greenish yellow pod**Clump History:** original sport; 3 years old; Carrollton, GA**Notable Characteristics:** red petioles / variegation**Parentage:** Sport of *H. 'Fire Island'*

B

H. 'Baiyu'

Donghuan Liu (ONR) Ling Guo (I)

Plant: 59in (150cm) diameter; 29.5in (70-80cm) high; upright; fast growth rate.**Leaf:** 10.8in (25-30cm) long; 7.5in (18-20cm) wide; 11 to 12 vein pairs; medium green with flat margins; dull on top; slightly shiny underneath; broadly ovate with flat base.**Petiole Characteristics:** 19.7-25.6in (50-65cm) long, relatively flat**Scape:** 39 to 59in (100 to 150cm) high; green**Flower:** 1.56in (4cm) long; near white perianth with translucent margins; tubular; Jun 1 – Jul 15; Beijing, China**Seed:** does not set seed**Clump History:** original seedling; 6 years old; Beijing, China**Notable Characteristics:** Tall, straight and erect scapes, long (30-40cm) racemes and numerous near-white flowers that whirl around the scape. A good cutting cultivar.**Parentage:** (*H. 'August Beauty'* x unknown)*H. 'Barger Blue'*

B. & A. Barger (ONIR)

Plant: 60in (152.4cm) diameter; 30in (76.2cm) high; upright; moderate growth rate.**Leaf:** 14in (35.6cm) long; 12.5in (31.7cm) wide; 15 to 16 vein pairs; intensely blue-green; flat margins; slightly shiny on top; dull underneath; nearly round with cordate base; deeply folded, lightly corrugated and convexly cupped overall.**Scape:** 30 to 32in (61 to 81.3cm) high; green**Flower:** 1.5 in (3.8cm) long; pale lavender; tubular; Jul 15 – Aug 15; Neustadt, ON, Canada**Seed:** sets viable seeds; green**Clump History:** original seedling; 8 yrs old; Neustadt, ON, Canada**Notable Characteristics:** Heavy, thick, blue-green leaves with a dense vase-shaped form.**Parentage:** (*H. 'Sum and Substance'* x unknown)**Seasonal Color:** turns dark green in July*H. 'BEAuty from Poland'*

R. Gabarkiewicz (ONIR)

Plant: 17.7in (45cm) diameter; 9.84in (25cm) high; mound-like; moderate growth rate.

2016 REGISTRATIONS

Leaf: 4.33in (11cm) long; 2.36in (6cm) wide; 4 to 5 vein pairs; creamy white with intensely blue-green .39 to 1in (1 to 2.5cm) wide, flat margins; dull on top; dull underneath; ovate with rounded base.

Petiole Characteristics: Creamy white with blue-green margins.

Scape: 15.75 to 17.72in (40 to 45cm) high; light green

Flower: 1.77 to 1.97in (4.5 to 5cm) long; fragrant; near white with very light lavender striping; tubular; Jul 15 – Aug 15; Pilawa, Mazowieckie, Poland

Seed: sets seeds, viability unknown; white pods

Clump History: original sport; 4 years old; Pilawa, Mazowieckie, Poland

Notable Characteristics: Exhibits unique combination of light creamy/near white leaf center with powdery blue-green irregular margins which jet inward & are apparent when plant emerges. Also has very decorative bracts, fragrant flowers and white seed pods.

Parentage: Sport of *H.* 'Fragrant Blue'

Seasonal Color: Blue-green color lasts well into autumn. Margins get greener & creamy center gets whiter later on.

***H.* 'Betty Hagerman'** C. Kwick (ONIR)

Plant: 60in (152.4cm) diameter; 28in (71.1cm) high; mound-like; fast growth rate.

Leaf: 12in (30.5cm) long; 9in (22.9cm) wide; 13 to 14 vein pairs; medium green with flat margins; slightly shiny on top; very shiny underneath; ovate with cordate base.

Scape: 24 to 32in (61 to 81cm) high; green

Flower: 2in (5.1cm) long; medium lavender; tubular, Jun 1 – Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted

Clump History: original seedling; 6 years old; Eau Claire, WI

Notable Characteristics: Large and prolific grower.

Parentage: (*H.* 'Captain Kirk' x unknown)

***H.* 'Big B'** C. Kwick (ONIR)

Plant: 30in (76.2cm) diameter; 24in (61cm) high; upright; fast growth rate.

Leaf: 12in (30.5cm) long; 12in (30.5cm) wide; 13 to 14 vein pairs; flat margins; slightly shiny on top; glaucous bloom underneath; nearly round with cordate base; moderately folded, deeply corrugated overall.

Flower: pale lavender; Aug 15 – Oct 1; Eau Claire, WI

Clump History: original seedling; 4 years old; Eau Claire, WI

Notable Characteristics: Strong, upright, folded, heavily corrugated with very shiny leaf. Uniquely individual.

Parentage: (*H.* 'Blue Umbrellas' x unknown)

***H.* 'Blue Perfection'** R. Solberg (ONIR)

Plant: 54in (137.2cm) diameter; 24in (61cm) high; mound-like; fast growth rate.

Leaf: 11in (27.9cm) long; 8.5in (21.6cm) wide; 12 to 13 vein pairs; intensely blue-green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; lightly wavy overall.

Scape: 30 to 41in (76.2 to 104.1cm) high; medium blue-green

Flower: 3in (7.6cm) long; fragrant; pale lavender; tubular; Jul 15 – Aug 15; Franklinton, NC

Clump History: original sport; 4 years old; Franklinton, NC

Notable Characteristics: Large blue hosta with fragrant flowers and rapid growth rate.

Parentage: Sport of *H.* 'Ambrosia'

Seasonal Color: Blue-green color becomes dark green when wax disappears in late summer.

***H.* 'Bohemia Desert Border'** V. Mirka (ONIR)

Plant: 27.56in (70cm) diameter; 17.72 in (45cm) high; mound-like; moderate growth rate.

Leaf: 8.86in (22.5cm) long; 3.54in (9cm) wide; 8 to 10 vein pairs; greenish yellow with medium green .08 to .20in (.2 to .5cm) wide; slightly rippled margins; dull on top; dull underneath; ovate with rounded base; moderately wavy overall.

Scape: 23.6 to 31.5in (60 to 80cm) high; light green

Flower: 2.36in (6cm) long; pale lavender; tubular; Jul 15 – Aug 15; Kladno, Central Bohemia, Czech Republic

Seed: sets viable seeds; green

Clump History: original seedling; 5 years old; Kladno, Central Bohemia, Czech Republic

Notable Characteristics: Continuous series of color changes through midsummer gives it a multi-colored appearance. Sun tolerant and slug resistant.

Parentage: (*H.* 'Atlantis' x unknown)

Seasonal Color: Greenish-yellow center & thin green margins change to greenish-white with wider, darker green margins.

***H.* 'Bohemia Fatty Manzo'** V. Mirka (ONIR)

Plant: 19.69in (50cm) diameter; 9.84in (25cm) high; rhizomatous; fast growth rate.

Leaf: 4.33in (11cm) long; 1.97 in (5cm) wide; 3 to 4 vein pairs; creamy white with dark & medium green .20 to .39in (.5 to 1cm) wide, heavily rippled margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; lightly twisted and deeply wavy overall.

Scape: 9.8 to 16in (25 to 35cm) high; light green

Flower: 1.97in (5cm) long; medium lavender; tubular; Jul 15 – Aug 15; Kladno, Central Bohemia, Czech Republic

Seed: sets non-viable seeds; green

Clump History: original sport; 6 yrs old; Kladno, Central Bohemia, Czech Republic

Notable Characteristics: Wavy, twisted, creamy white leaves with irregular two-tone green margins. Very fast growing, rhizomatous.

Parentage: Sport of *H.* 'Manzo'

Seasonal Color: Creamy white center turns greenish-white in midsummer.

***H.* 'Bohemia Praying Clown'** V. Mirka (ONIR)

Plant: 19.69in (50cm) diameter; 15.75in (40cm) high; upright.

Leaf: 7.87in (20cm) long; 1.97in (5cm) wide; 8 to 10 vein pairs; green with yellow streaks and yellow .08 to .16in (.2 to .4cm) wide heavily rippled margins; slightly shiny on top; very shiny underneath; lance-shaped with tapered base; deeply twisted & wavy and moderately folded overall.

Scape: 15.75 to 21.65in (40 to 55cm) high; green with yellow streaks.

Flower: 1.97in (5cm) long; medium lavender; bell-shaped; Jul 15 – Aug 15; Kladno, Central Bohemia, Czech Republic

Seed: does not set seed

Clump History: original sport; 4 yrs old; Kladno, Central Bohemia, Czech Republic

Notable Characteristics: Differs from its parent in that its dark green leaves are heavily streaked with yellow; has the same sun tolerance and slug resistance.

Parentage: Sport of *H.* 'Praying Hands'

***H.* 'Bohemia Ripple Blue Effect'** V. Mirka (ONIR)

Plant: 19.69in (50cm) diameter; 7.87in (20cm) high; mound-like; slow growth rate.

Leaf: 6.89in (17.5cm) long; 1.97in (5cm) wide; 6 to 8 vein pairs; greenish yellow with irregular, intensely blue-green and green .20 to .79in (.5 to 2cm) wide heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with tapered base; moderately twisted & folded and intensely wavy overall.

Scape: 5.9 to 7.87 in (15 to 20cm) high; greenish white

Flower: 1.97in (5cm) long; pale lavender; tubular; Jul 15 – Aug 15; Kladno, Central Bohemia, Czech Republic

Seed: sets viable seeds; light green

Clump History: original sport; 4 yrs old; Kladno, Central Bohemia, Czech Republic

Notable Characteristics: Differs from its parent in that it has wide, two-tone (intensely blue-green & green) margins that frequently jet towards the center. Needs some sun for a bright yellow center. Very thick leaves, sun tolerant & slug resistant.

Parentage: Sport of *H.* 'Ripple Effect'

Seasonal Color: Greenish-yellow center changes to yellow while the margins maintain their blue-green color all season.

***H.* 'Bohemia Salamander'** V. Mirka (ONIR)

Plant: 15.75in (40cm) diameter; 7.87in (20cm) high; mound-like.

Leaf: 3.35in (8.5cm) long; 1.77in (4.5cm) wide; 4 to 5 vein pairs; dark green with yellow streaks and dark green .08 to .20in (.2 to .5cm) wide slightly rippled margins; very shiny on top; very shiny underneath; ovate with rounded base; moderately wavy overall.

Petiole Characteristics: dotted red at the petiole base

Scape: 15.75 to 23.6in (40 to 60cm) high; green with red dots

Flower: 1.97in (5cm) long; medium lavender with purple stripes; tubular; Jul 15 – Aug 15; Kladno, Central Bohemia, Czech Republic

Seed: sets viable seeds; streaked light green

Clump History: original sport; 5 yrs old; Kladno, Central Bohemia, Czech Republic

Notable Characteristics: Small mound of very shiny dark green leaves densely streaked with yellow, on red petioles with very tall scapes. Streaking is quite stable and produces streaked offspring.

Parentage: Sport of *H.* 'Red Salamander'

***H.* 'Brady'** D. Graves (ONIR)

Plant: 30in (76.2cm) diameter; 17in (43.2cm) high; mound-like; moderate growth rate.

Leaf: 10.5in (26.7cm) long; 4.5in (11.4cm) wide; 6 to 7 vein pairs; dark green; creamy white, .25in (.6cm) wide, slightly rippled margins; slightly shiny on top; slightly shiny underneath; lance-shaped with tapered base; lightly wavy overall.

Petiole Characteristics: creamy white margins extend down the petiole

Scape: 22 to 29in (55.9 to 73.7cm) high; dark purple

Flower: 1.75in (4.4cm) long; medium lavender with light striping; tubular; Jul 15 – Aug 15; Sylvania, OH

Seed: sets viable seeds; purple

Clump History: original seedling; 10 years old; Sylvania, OH

Notable Characteristics: Dark purplish scapes and flowers make a stunning display in late summer. Creamy white margins are sometimes streaked with light green.

Parentage: (*H.* 'Xanadu Virginia Mary' x unknown)

***H.* 'Brianna T.'** B. & A. Barger (ONIR)

Plant: 24in (61cm) diameter; 12in (30.5cm) high; mound-like; fast growth rate.

Leaf: 7in (17.8cm) long; 4in (10.2cm) wide; 9 to 10 vein pairs; medium green streaked and speckled with white; slightly rippled margins; dull on top; dull underneath; ovate with tapered base; moderately twisted and lightly wavy overall.

Petiole Characteristics: green and white streaked petioles

Scape: 16 to 18in (40 to 45.7cm) high; green and white streaked

Flower: 1.75in (4.4cm) long; pale purple flower with black stigma, white stile and white stripes on the petals; tubular; Jul 15 – Aug 15; Neustadt, ON, Canada

Seed: sets non-viable seeds; green

Clump History: original sport; 7 years old; Neustadt, ON, Canada

Notable Characteristics: Green leaves are speckled/misted with white. Many leaves are speckled and have heavy white streaks as well.

Parentage: Sport of *H.* 'Francee'

***H.* 'Bright-eyed Ellie'** M. Whitmer (ONIR)

Plant: 20in (50.8cm) diameter; 13in (33cm) high; upright

Leaf: 9.5in (24.1cm) long; 5.5in (14cm) wide; 12 vein pairs; yellow with serrated edges; dull on top; glaucous bloom underneath; ovate; cordate base; moderately twisted, wavy and corrugated overall.

Scape: 19 to 21in (48.3 to 53.3cm) high; greenish yellow

Flower: near white; tubular; Jun 15 to Jul 1; Maumee, OH

Seed: sets viable seed; medium green

Clump History: original seedling, 4 years old; Maumee, OH

Notable Characteristics: Vase shaped yellow with strong leather-like substance. Corrugated, wavy, serrated leaves with a flipped tip. Won the Grand Prize for uniqueness at an Ed Elslager Seedling contest.

Parentage: [*(H.* 'Arctic Blast' x (*H.* 'King Tut' x *H.* 'Sun Power'))] x *H.* 'Queen of the Seas']

Seasonal Color: Begins golden yellow and moves toward creamy yellow throughout the season.

***H.* 'Bubble Dance'** E. McHugh (R) M. Anderson (ONI)

Plant: 24in (61cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.

Leaf: 6in (15.2cm) long; 4in (10.2cm) wide; 7 to 8 vein pairs; streaked shades of green in center, and streaked shades of green, yellow & white, .75in (1.9cm) wide, slightly rippled margins; dull on top; glaucous bloom underneath; ovate with flat base; lightly corrugated overall.

Scape: 18 to 24in (45.7 to 61cm) high; green

Flower: 1.5in (3.8cm) long; pale lavender with very light stripes; tubular; Jun 1 – Jul 15; Sicklerville, NJ

Seed: does not set seed

Clump History: original sport; 4 years old; Sicklerville, NJ

Notable Characteristics: Pastel streaky sport of *H.* 'Kiwi Full Monty' that maintains the white line common in sports of the 'Striptease' line.

Parentage: Sport of *H.* 'Kiwi Full Monty'

Seasonal Color: Colors darken throughout the season.

***H.* 'Buffalo Amber Waves'** M. & D. Zubrik (ONIR)

Plant: 7.87in (20cm) diameter; 4.72in (12cm) high; mound-like; fast growth rate.

Leaf: 3.15in (8cm) long; 1.97in (5cm) wide; 4 vein pairs; yellow; slightly shiny on top; slightly shiny underneath; ovate with flat base; moderately wavy and lightly corrugated overall.

Scape: 9.8 to 11.8 in (25 to 30cm) high; light green

Flower: 1.18in (3cm) long; pale lavender; tubular; Aug 15 – Oct 1; Žiar nad Hronom, Slovak Republic

Seed: sets seeds, viability not submitted; green

Clump History: original sport; 2 yrs old; Žiar nad Hronom, Slovak Republic

Notable Characteristics: Light greenish-yellow changes to yellow with slightly wavy borders. Fast growing, very dense clump.

2016 REGISTRATIONS

Parentage: Sport of *H.* 'Silver Threads and Golden Needles'
Seasonal Color: Light greenish-yellow changes to yellow as the season progresses.

***H.* 'Buffalo Black Soup'** M. & D. Zubrik (ONIR)
Plant: 9.8in (25cm) diameter; 5.9in (15cm) high; upright.
Leaf: 3.9in (10cm) long; 1.9in (5cm) wide; 7 vein pairs; dark green with creamy yellow streaks; flat margins; very shiny on top; very shiny underneath; lance-shaped with tapered base; lightly wavy overall.
Petiole Characteristics: quite short
Scape: 11.8 to 17.7in (30 to 45cm) high; green
Flower: 1.2in (3cm) long; pale lavender; tubular; Jul 15 – Aug 15; Žiar nad Hronom, Slovak Republic
Seed: sets viable seed; green
Clump History: original sport; 3 years old; Žiar nad Hronom, Slovak Republic
Notable Characteristics: Irregular creamy yellow streaks that turn white as the season progresses. Short petioles and very fertile.
Parentage: Sport of *H.* 'Lakeside Little Tuft'
Seasonal Color: Creamy yellow streaks turn white and green darkens as season progresses.

***H.* 'Bullfrog'** W. Hoover (ONIR)
Plant: 20in (50.8cm) diameter; 13in (33cm) high; upright; slow growth rate.
Leaf: 7in (17.8cm) long; 3in (7.6cm) wide; 12 to 13 vein pairs; creamy white with dark green, 1in (2.5cm) wide, flat margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; moderately twisted overall.
Flower: Has never bloomed during its six (+) year trial. Assume flowers to have *H.* 'Krossa Regal' characteristics.
Clump History: original sport; 6 years old; Loyal, WI
Notable Characteristics: Unusual variegation; twisted leaves have prominent dark-green streaks in center tissue and margins often have thin white streaks. Has been called *H.* 'Wally's Bullfrog' in the past.
Parentage: Sport of *H.* 'Krossa Regal'

C

***H.* 'Carol Marie'** C. Kwick (ONIR)
Plant: 7in (17.8cm) diameter; 3in (7.6cm) high; mound-like; slow growth rate.
Leaf: 3.5in (8.9cm) long; 2.5in (6.3cm) wide; 11 vein pairs; greenish yellow with flat margins; dull on top; glaucous bloom underneath; ovate with cordate base.
Scape: 10 to 14in (25.4 to 35.6cm) high; light green
Flower: 1.75in (4.4cm) long; pale lavender; tubular; Jun 1 – Jul 15; Eau Claire, WI
Seed: sets seeds, viability not submitted
Clump History: original seedling; 6 years old; Eau Claire, WI
Notable Characteristics: Miniature mound with a hardy, robust appearance.
Parentage: (*H.* *sieboldiana* x unknown)

***H.* 'Carolina Keepsake'** R. Solberg (ONIR)
Plant: 14in (35.6cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 3.5in (8.9cm) wide; 6 to 7 vein pairs; yellow with slightly rippled margins; very shiny on top; very shiny underneath; ovate with rounded base; moderately twisted & folded, and lightly wavy overall.
Flower: pale lavender; Aug 15 – Oct 1; Franklinton, NC

Clump History: original seedling; 4 years old; Franklinton, NC
Notable Characteristics: Bright yellow, narrowly ovate leaves with very good substance that are slightly twisted.
Parentage: (*H.* 'Corkscrew' x *H.* 'June')
Seasonal Color: Bright yellow color becomes light green in summer.

***H.* 'Champ'** C. Kwick (ONIR)
Plant: 56in (142.2cm) diameter; 30in (76.2cm) high; upright;
Leaf: 14in (35.56 cm) long; 11in (27.9cm) wide; 13 to 14 vein pairs; medium green; slightly rippled margin; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base; lightly wavy overall.
Scape: 40 to 45in (101.6 to 114.3cm) high; light green
Flower: 2in (5.1cm) long; pale lavender; tubular; Jun 1 – Jul 15; Eau Claire, WI
Seed: sets seeds, viability not submitted; green
Clump History: original seedling; 4 years old; Eau Claire, WI
Notable Characteristics: Fast growing plant
Parentage: (*H.* 'Sagae' x *H.* 'Sea Gulf Stream')

D

***H.* 'Dark Knight'** C. Kwick (ONIR)
Plant: 40in (101.6cm) diameter; 26in (66cm) high; upright; moderate growth rate.
Leaf: 12in (30.5 cm) long; 9in (22.9cm) wide; dark green with flat margins; slightly shiny on top; very shiny underneath; broadly ovate with cordate base; lightly folded overall.
Scape: 20 to 26in (50.8 to 66cm) high; green
Flower: 2.25in (5.7cm) long; pale purple; tubular; Jul 15 – Aug 15; Eau Claire, WI
Clump History: original seedling; 6 years old; Eau Claire, WI
Notable Characteristics: Shiny, dark green leaves in a beautifully shaped upright-mound. Glossy pigmentation in early spring gives a unique depth of color.
Parentage: (*H.* 'Reptilian' x unknown)

***H.* 'Dark Prince'** C. Kwick (ONIR)
Plant: 30in (76.2cm) diameter; 24in (61cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 7in (17.8cm) wide; 12 to 13 vein pairs; dark green with flat margins; slightly shiny on top; dull underneath; nearly round with cordate base; lightly wavy & folded, moderately corrugated overall.
Scape: 18 to 26in (45.7 to 66cm) high; green
Flower: 1.5 in (3.8cm) long; near white; tubular; Jul 15 – Aug 15; Eau Claire, WI
Seed: sets seeds, viability not submitted
Clump History: original seedling; 6 years old; Eau Claire, WI
Notable Characteristics: dark, shiny, corrugated leaves fold and grasp into a tight foreboding mound.
Parentage: (*H.* 'Summer Breeze' x unknown)

***H.* 'Don's Gator Hide'** D. Rawson (ONIR)
Plant: 46in (116.84cm) diameter; 22in (55.9cm) high; mound-like; moderate growth rate.
Leaf: 8in (20.3cm) long; 7in (17.8cm) wide; 7 to 9 vein pairs; green with flat margins; very shiny on top; very shiny underneath; broadly ovate with cordate base; moderately cupped & folded and intensely corrugated overall.
Petiole Characteristics: red at the petiole base
Scape: 26 to 38 in (66 to 96.5cm) high; green with red at the base

Flower: 2.25in (5.7cm) long; medium lavender petals with white edges; tubular; Jul 15 – Aug 15; Comstock Park, MI
Seed: sets viable seeds; green with purple stripes
Clump History: original seedling; 10 yrs old; Comstock Park, MI
Notable Characteristics: Very large, coarsely corrugated and leaves have heavy substance. Red color at base of petioles and scapes. Heavy substance is passed on to progeny.
Parentage: Parentage unknown

H. 'Dr Topper Hagerman' C. Kwick (ONIR)
Plant: 40in (101.6cm) diameter; 24in (61cm) high; mound-like.
Leaf: 11in (27.9cm) long; 10.5in (26.7cm) wide; 13 to 14 vein pairs; medium blue-green with a flat margin; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base.
Scape: 24 to 28in (61 to 71.1cm) high; green
Flower: 1.75in (4.4cm) long; pure white; tubular; Jun 1 – Jul 15; Eau Claire, WI
Seed: sets seeds, viability not submitted
Clump History: original seedling; 4 years old; Eau Claire, WI
Notable Characteristics: Large, upright plant with blue-green leaves. Glaucous bloom causes impressive coloration
Parentage: (*H. 'Great Expectations'* x *H. 'Sagae'*)

E

H. 'Elatior Falls' D. Rawson & D. Myers (RIN)
 R. Balitewicz (O)
Plant: 80in (203.2cm) diameter; 35in (88.9cm) high; mound-like; fast growth rate.
Leaf: 14in (35.6cm) long; 10in (25.4cm) wide; 15 to 16 vein pairs; medium green with heavily rippled margins; very shiny on top; slightly shiny underneath; ovate with cordate base; relatively flat overall.
Scape: 55 to 65in (139.7 to 165.1cm) high; green
Flower: 2.5 to 2.75in (6.4 to 7cm) long; pale lavender; tubular; Jul 10 - Jul 31; Comstock Park, MI
Seed: sets viable seeds; green
Clump History: 1st generation division; 10 yrs old; Comstock Park, MI
Notable Characteristics: Large, semi-upright plant similar to *H. 'Elatior'* but with a rippled margin like *H. 'Niagara Falls.'*
Parentage: (*H. 'Elatior'* x *H. 'Niagara Falls'*)

H. 'Ellie Marie' C. Kwick (ONIR)
Plant: 36in (91.4cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 8in (20.3cm) long; 7in (17.8cm) wide; 13 to 15 vein pairs; golden yellow with flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base.
Flower: 2in (5.1cm) long; pale lavender; tubular; Jun 1 – Jul 15; Eau Claire, WI
Clump History: original seedling; 7 years old; Eau Claire, WI
Notable Characteristics: Blooms golden yellow in the spring with contrasting pale interior leaves in the fall.
Parentage: (*H. 'Blue Moon'* x unknown)
Seasonal Color: interior leaves turn pale yellow later in the season

H. 'Ems Pfeil' M. Linnenschmidt (ONIR)
Plant: 7.87in (20cm) diameter; 4.72in (12cm) high; mound-like; moderate growth rate.
Leaf: 3.15in (8cm) long; 1.38in (3.5cm) wide; 4 to 6 vein pairs; medium blue-green; slightly rippled margins; dull on top; dull underneath; ovate with rounded base; lightly wavy overall.

Petiole Characteristics: Profile of the petiole is a U-form and the first 2 centimeters are spotted with red.
Scape: 7.9 to 9.8in (20 to 25 cm) high; slightly blue-green
Flower: 1.38in (3.5cm) long; pale lavender with slight striping; tubular; Jun 1 – Jul 15; Rheine, NRW, Germany
Seed: does not set seed
Clump History: original seedling; 9 years old; Rheine, NRW, Germany
Notable Characteristics: Small plant with arrow shaped, wavy, blue-green leaves. Named after the river 'Ems' that runs through Rheine.
Parentage: (*H. 'Abby'* x unknown)
Seasonal Color: Changes from medium blue-green to slightly blue-green.

H. 'Ephemeral Lace' D. Ruff (ONIR)
Plant: 28in (71cm) diameter; 13in (33cm) high; mound-like; moderate growth rate
Leaf: 7in (17.8cm) long; 5.25in (13.3cm) wide; 10 vein pairs; medium blue green with creamy white turning mint green, 1in (2.6cm) wide, slightly rippled margin; dull on top; dull underneath; broadly ovate; cordate base; lightly wavy overall.
Scape: 16 to 20in (41 to 50.8cm) high; medium green
Flower: pale lavender; tubular; Jun 1 to Jul 15; Buffalo, MN
Seed: sets viable seed; green pod has extra chamber
Clump History: original sport; 12 years old; Buffalo, MN
Notable Characteristics: Creamy white rippled margin turns minty green.
Parentage: Sport of *H. 'Venetian Lace'*
Seasonal Color: Emerges with creamy white margins that turn minty green.

F

H. 'Fiftieth Anniversary' D. Graves (ONIR)
Plant: 31in (78.7cm) diameter; 16in (40.6cm) high; mound-like; fast growth rate.
Leaf: 9 in (22.9cm) long; 6in (15.2cm) wide; 10 to 11 vein pairs; dark green; greenish yellow, .25in (.6cm) wide flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; lightly wavy with some puckering overall.
Scape: 23 to 26in (58.4 to 66cm) high; green
Flower: 2in (5.1cm) long; near white; tubular; Jun 1 – Jul 15; Sylvania, OH
Seed: sets viable seeds; green
Clump History: original seedling; 8 years old; Sylvania, OH
Notable Characteristics: Fast growing clump with colorful leaves.
Parentage: (*H. 'Christmas Tree Gala'* x *H. 'Big John'*) x *H. 'Elatior'*

H. 'First Blush' R. Solberg (ONIR)
Plant: 28in (71.1cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 8.5in (21.6cm) long; 5in (12.7cm) wide; 6 to 7 vein pairs; medium green with flat margins; slightly shiny on top; slightly shiny underneath; ovate with rounded base.
Petiole Characteristics: Petioles are red on front, back and into the leaf blade.
Scape: 26 to 28in (66 to 71.1cm) high; reddish-green
Flower: 3in (7.6cm) long; pale purple; tubular; Jul 15 – Aug 15; Franklinton, NC
Seed: sets viable seeds; reddish green
Clump History: original seedling; 4 years old; Franklinton, NC

2016 REGISTRATIONS

Notable Characteristics: Emerges with blood red petioles and red margins. First leaves "blush" red when the second flush of leaves appear.

Parentage: (Solberg 48/49 sdlg. x *H.* 'Beet Salad')

Seasonal Color: First leaves blush red when second flush of leaves appear.

H. 'First Kiss' C. Kwick (ONIR)

Plant: 16in (40.6cm) diameter; 8in (20.3cm) high; mound-like; slow growth rate.

Leaf: 5in (12.7cm) long; 2.5in (6.4cm) wide; 5 to 6 vein pairs; greenish yellow with a flat margin; slightly shiny on top; glaucous bloom underneath; lance-shaped with tapered base.

Scape: 24 to 40in (61 to 101.6 cm) high; light green

Flower: 2.25in (5.7cm) long; pale lavender; tubular; Jun 1 – Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted

Clump History: original seedling; 4 years old; Eau Claire, WI

Notable Characteristics: Petite, lance-shaped, lemon-colored leaves.

Parentage: (*H.* 'Delta Dawn' x *H.* 'Sum and Substance')

H. 'Forever Young' M. Zilis (O) L. Port (N) J. Husemann (IR)

Plant: 48 in (121.9cm) diameter; 28in (71.1cm) high; upright; fast growth rate.

Leaf: 12in (30.5cm) long; 9in (22.9cm) wide; 10 vein pairs; dark green with heavily rippled margins; very shiny on top; dull underneath; broadly ovate with cordate base; moderately twisted and wavy overall.

Scape: 40 to 50in (101.6 to 127cm) high; green

Flower: 1.75in (4.4cm) long; pale lavender translucent edges with medium lavender striping; tubular; Jul 15 – Aug 15; Asbury, IA

Seed: sets seeds, viability is unknown; green

Clump History: original seedling; 10 years old; Asbury, IA

Notable Characteristics: deeply veined, wavy-edged, very dark green leaves held on tall petioles.

Parentage: (*H.* 'Lily Pad' x *H.* 'Rosedale Dough Boy')

H. 'Frilly Fantasy' E. Schulz (ONIR)

Plant: 12in (30.5cm) diameter; 7in (17.8cm) high; mound-like; moderate growth rate.

Leaf: 5in (12.7cm) long; 2.25 in (5.7cm) wide; 8 to 9 vein pairs; greenish yellow with serrated & heavily rippled margins; dull on top; glaucous bloom underneath; ovate with rounded base; moderately twisted and wavy overall.

Scape: 16 to 18 in (35.6 to 45.7cm) high; green

Flower: .75in (1.9cm) long; pale lavender with white stripes; tubular; Jul 15 – Aug 15; Peosta, IA

Seed: sets seeds, viability is unknown; green

Clump History: original seedling; 3 years old; Peosta, IA

Notable Characteristics: Highly rippled and serrated leaf edge.

Parentage: Parentage unknown

Seasonal Color: Color lightens with sun exposure

H. 'Frog Milhouse' G. R. Goodwin (ONIR)

Plant: 18in (45.7cm) diameter; 7in (17.8cm) high; mound-like; fast growth rate

Leaf: 4in (10.2cm) long; 2.75in (7.0cm) wide; 8 to 9 vein pairs; light green with pale yellow, .5in (1.3cm) wide, slightly rippled margins; slightly shiny on top; dull underneath; broadly ovate; cordate base; moderately cupped, twisted, folded & wavy, lightly corrugated overall.

Scape: 12 to 24in (30.5 to 61cm) high; medium green

Flower: white; tubular; Jul 15 to Aug 15; Zionsville, IN

Seed: sets viable seeds, medium green pod

Clump History: stable sport of a splashed seedling; 7 years old; Zionsville, IN

Notable Characteristics: Narrow creamy margin on a small to medium, fast growing cultivar.

Parentage: Sport of seedling of unknown origin

H. 'Full Frontal' Sebright Gardens (ONIR)

Plant: 45in (114.3cm) diameter; 20in (50.8cm) high; mound-like.

Leaf: 7in (17.8cm) long; 4.5in (11.4cm) wide; intensely blue-green; yellow, 2in (5cm) wide, flat margins; dull on top; dull underneath; ovate; lightly cupped overall.

Scape: 30 to 34 in (76.2 to 86.4cm) high; grey green

Flower: medium lavender; tubular; Jul 15 – Aug 15; Salem, OR

Seed: sets seeds, viability not submitted

Clump History: original sport; 5 years old; Salem, OR

Notable Characteristics: Emerges with wide, bright chartreuse-yellow margins, with narrow blue-green centers surrounded by a narrow white line.

Parentage: Sport of *H.* 'Kiwi Full Monty'

Seasonal Color: Ages to frosty blue margins with blue-green centers surrounded by a white line.

G

H. 'Gabriel's Wing' D. Rawson (ONIR)

Plant: 60in (152.4cm) diameter; 28in (71.1cm) high; mound-like; fast growth rate.

Leaf: 15in (38.1cm) long; 11in (27.9cm) wide; medium green with .75in (1.9cm) wide, chartreuse to creamy white, slightly rippled margins; dull on top; dull underneath; ovate with cordate base; lightly folded overall.

Scape: 46in (116.8cm) high; green

Flower: 2.5in (6.4cm) long; pale lavender; tubular; Jun 15 - Jul 31; Comstock Park, MI

Seed: sets viable seeds; green

Clump History: original sport; 6 years old; Comstock Park, MI

Notable Characteristics: Stable, marginally-variegated sport of *H.* 'Empress Wu' that withstands full sun. Margins are chartreuse when grown in shade & creamy white when grown in full sun. Very large and stately.

Parentage: Sport of *H.* 'Empress Wu'

H. 'Galletta' G. & R. Ragus (ONIR)

Plant: 23.6in (60cm) diameter; 19.3in (49cm) high; upright; moderate growth rate.

Leaf: 8.6in (22cm) long; 6.3in (16cm) wide; 12 to 13 vein pairs; green with white & yellow streaks; flat margins; dull on top; dull underneath; broadly ovate with flat base; moderately cupped overall.

Petiole Characteristics: medium green with white streaks, strong

Scape: 32.7 to 37in (83 to 94cm) high; ascending grey to green

Flower: 2.4in (6cm) long; buds begin pale purple and light rose inside, changing to 4-5 dark purple stripes inside on pale purple background with glaucous margins; tubular; Jun 1 – Jul 15; Ganderkesee, Germany

Seed: sets viable seed; grey green with white stripes

Clump History: original seedling; 5 yrs old; Ganderkesee, Germany

Notable Characteristics: Open mound with leaves like ice cornets; not typical with streakers.

Parentage: (*H.* 'Galaxy' x *H.* 'Violetta')

H. 'Gandy Dancer' J. Husemann (ONIR)
Plant: 24in (61cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.
Leaf: 9in (22.9cm) long; 8in (20.3cm) wide; 15 vein pairs; intensely blue-green with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; moderately wavy and deeply corrugated overall.
Scape: 14 to 16in (35.6 to 40.6cm) high; green
Flower: 1.75in (4.4cm) long; near white; tubular; Jun 1 – Jul 15; Asbury, IA
Seed: sets viable seeds; green
Clump History: original seedling; 7 years old; Asbury, IA
Notable Characteristics: heavily corrugated dark colored leaves are held flat.
Parentage: (*H. 'Rosedale Black Hole'* x unknown)

H. 'Generous Jeff' J. Miller (O) A. Thomas (NIR)
Plant: 59in (149.9cm) diameter; 24in (61cm) high; upright; moderate growth rate.
Leaf: 15in (38.1cm) long; 11.5in (29.2cm) wide; 13 vein pairs; medium green with heavily rippled margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; moderately corrugated and deeply wavy overall.
Flower: pale lavender; tubular; Jun 1 to Jul 15; Niangua, MO
Seed: sets viable seeds; medium green
Clump History: original seedling; 5 years old; Niangua, MO
Notable Characteristics: Large, heavily rippled leaves have great substance w/nice corrugation & deeply impressed veins. Extremely tall "skyscraper" scapes are heavily laden w/flowers.
Parentage: (*H. 'Justice'* x *H. 'Mesa Fringe'*)
Seasonal Color: Emerges pale green - becomes green quickly.

H. 'Ginny' J. Husemann (ONIR)
Plant: 28in (71.1cm) diameter; 16in (40.6cm) high; mound-like; slow growth rate.
Leaf: 9in (22.9cm) long; 8in (20.3cm) wide; 12 vein pairs; dark green with greenish yellow, 1in (2.5cm) wide, slightly rippled margins, very shiny on top; glaucous bloom underneath; nearly round with rounded base; lightly cupped & corrugated overall.
Scape: 34 to 38in (86.4 to 96.5cm) high; medium green
Flower: 2.25in (5.7cm) long; near white; tubular; Jun 1 - Jun 30; Asbury, IA
Seed: sets viable seeds; green
Clump History: original seedling; 6 years old; Asbury, IA
Notable Characteristics: brightly colored, shiny, rounded leaves of heavy substance.
Parentage: (*H. 'Galaxy'* x unknown)

H. 'Glossy Ruffles' D. Ruff (ONIR)
Plant: 45in (114.3cm) diameter; 24in (61cm) high; mound-like.
Leaf: 12in (30.5cm) long; 7in (17.8cm) wide; 8 vein pairs; medium green with heavily rippled margins; very shiny on top; very shiny underneath; broadly ovate with cordate base; intensely wavy overall.
Petiole Characteristics: green
Scape: 30 to 36in (76.2 to 91.4cm) high; green
Flower: 3.5in (8.9cm) long; white with lavender stripes; tubular; Jul 15 – Aug 15; Buffalo, MN
Seed: does not set seed ;
Clump History: original seedling; 8 years old; Buffalo, MN
Notable Characteristics: Large, glossy, ruffled leaves.
Parentage: (*H. 'Invincible'* x unknown)

H. 'Great Lakes Lighthouse' C. Wilson (OR) K. Field (N) Hallson Gardens (I)
Plant: 30in (76.2cm) diameter; 16in (40.6cm) high; mound-like; moderate growth rate.
Leaf: 7in (17.8cm) long; 6in (15.2cm) wide; pure white with medium blue-green, 2.25in (5.7cm) wide, flat margin; glaucous bloom on top; glaucous bloom underneath; broadly ovate; cordate base.
Flower: pale lavender; tubular; Jun 1 to Jul 15; Cement City, MI
Clump History: original sport; 3 years old; Cement City, MI
Notable Characteristics: Thin white centers turn misty blue-green in summer and the leaves often twist at the tip.
Parentage: Sport of *H. 'Lakeside Shoremaster'*
Seasonal Color: White center mists slightly blue-green in summer.

H

H. 'Hammered Gold' D. Rawson (OIR) C. Broshar (N)
Plant: 22in (55.9cm) diameter; 14in (35.6cm) high; mound-like; moderate growth rate.
Leaf: 8.5in (21.6cm) long; 7.5in (19.1cm) wide; 13 vein pairs; greenish yellow with flat margins; dull on top; glaucous bloom underneath; nearly round with rounded base; moderately cupped and intensely corrugated overall.
Scape: 18 to 22in (45.7 to 55.8cm) high; greenish yellow
Flower: 1.5 in (3.8cm) long; white; tubular; Jul 15 – Aug 15; Comstock Park, MI
Seed: sets viable seeds; yellowish-gold
Clump History: original seedling; 5 years old; Comstock Park, MI
Notable Characteristics: Bright gold, corrugated with nearly-round somewhat contorted leaves that exhibit some biscuiting. Complemented by white flowers in mid-summer.
Parentage: (*H. 'Pin Stripe Sister'* x unknown)
Seasonal Color: Emerges a bright chartreuse and turns yellowish-gold by end of season.

H. 'Heart Strings' S. Beikmann (ONIR)
Plant: 25in (63.5cm) diameter; 15in (38.1cm) high; mound-like; moderate growth rate.
Leaf: 6in (15.2cm) long; 4.75in (12cm) wide; 9 vein pairs; greenish yellow; flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; moderately corrugated, moderately flat overall.
Scape: 15 to 18in (38.1 to 45.7cm) high; green
Flower: 1.25 to 2in (3.2 to 5.1cm) long; pale pinkish white with lavender stripes inside; tubular; Jul 15 – Aug 15; Niles, MI
Seed: does not set seed
Clump History: original seedling; 7 years old; Niles, MI
Notable Characteristics: Albescent, heart-shaped leaves with distinctive prominent veins. As the veins turn creamy white, darker green streaks remain giving the appearance of "strings" on the leaves.
Parentage: (*H. 'Paradise Joyce'* x *H. 'Fire Island'*)
Seasonal Color: Albescent; changes to creamy white leaving green streaks between the veins by July/August.

H. 'Hearts in Motion' D. Dean (OIR) K. Walek (N)
Plant: 42in (106.7cm) diameter; 15in (38.1cm) high; mound-like
Leaf: 11in (27.9cm) long; 5.25 in (13.3cm) wide; 8 to 9 vein pairs; slightly blue-green with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; moderately twisted, lightly folded and deeply wavy overall.
Petiole Characteristics: matches leaf color
Scape: 15 to 22in (38.1 to 55.9cm) high; medium green

2016 REGISTRATIONS

Flower: .625in (1.6cm) long; pale lavender; twisted, three-pronged, heart-shaped; Jul 15 – Aug 15; Ramsey, MN

Seed: does not set seeds

Clump History: original seedling; 5 years old; Ramsey, MN

Notable Characteristics: Wavy, twisted, slightly blue-green foliage with twisted, three-petaled, heart-shaped blooms.

Parentage: (*H.* 'Astral Bliss' x (*H.* 'Candy Dish' x *H.* 'Subterranean Pool'))

Seasonal Color: turns medium green

H. 'Hobby Time' R. Solberg (ONIR)

Plant: 40in (101.6cm) diameter; 22in (55.9cm) high; upright; moderate growth rate.

Leaf: 12in (30.5cm) long; 7in (17.8cm) wide; 8 to 9 vein pairs; yellow with slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate w/flat base; lightly folded & wavy overall.

Flower: near white; Jun 1 – Jul 15; Franklinton, NC

Clump History: original seedling; 4 years old; Franklinton, NC

Notable Characteristics: Large, bright yellow leaves that stay yellow throughout the season.

Parentage: F2 sdlg. of ((*H.* 'Hercules' x *H.* 'Kinkaku') x (*H.* 'Hercules' x *H.* 'Kinkaku'))

H. 'Hoite Toite' G. R. Goodwin (ONIR)

Plant: 7in (17.8cm) diameter; 3in (7.6cm) high; mound-like; moderate growth rate.

Leaf: 2.25in (5.7cm) long; 1.5in (3.8cm) wide; 5 vein pairs; medium green with creamy white, .5in (1.3cm) wide, slightly rippled margin; dull on top; dull underneath; ovate; rounded base; moderately cupped, twisted, folded & wavy, lightly corrugated overall.

Petiole Characteristics: short petioles

Scape: 12 to 15in (30.5 to 38.1cm) high; light green

Flower: 1.5 in (3.8cm) long; med-lavender; tubular; Jun 1-Jul 15; Zionsville, IN

Seed: sets viable seeds, medium green pod

Clump History: original sport; 10 years old; Zionsville, IN

Notable Characteristics: Thick-leaved mini with muted yellow edge and dark green center.

Parentage: Sport of *H.* 'Small World'

Seasonal Color: Margin color changes from yellow to white.

H. 'Honey Bear' R. Solberg (ONIR)

Plant: 40in (101.6cm) diameter; 18in (45.7cm) high; mound-like; fast growth rate.

Leaf: 10in (25.4cm) long; 7.5in (19cm) wide; 10 to 11 vein pairs; dark green with .75 to 1in (1.9 to 2.5cm) wide, golden-yellow, slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly wavy and moderately corrugated overall.

Scape: green

Flower: 1.5in (3.8cm) long; fragrant; pale lavender; tubular; Jul 15 – Aug 15; Franklinton, NC

Clump History: original sport; 4 years old; Franklinton, NC

Notable Characteristics: Dark green centered, yellow margined large hosta with fragrant flowers, puckered leaves and rapid growth rate.

Parentage: Sport of *H.* 'Honey Pie'

H. 'Hoosier Classic' G. R. Goodwin (ONIR)

Plant: 32in (81.3cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 4in (10.2cm) wide; 8 vein pairs; yellow with creamy white, .5in (1.3cm) wide, flat margins; dull on top; dull underneath; broadly ovate with cordate base; moderately cupped & corrugated, lightly twisted, folded & wavy overall.

Scape: 18 to 24in (45.7 to 61cm) high; medium green

Flower: 1.5in (3.8cm) long; medium lavender; striped with translucent margins; bell-shaped; Jun 1 - Jul 15; Zionsville, IN

Seed: sets seeds, viability is unknown, medium green pod

Clump History: original sport; 13 years old; Zionsville, IN

Notable Characteristics: Color pattern, cupping & corrugation make this small to medium sized cultivar distinct from others of this size.

Parentage: Sport of seedling of unknown origin

H. 'Hopi Haloes' G. R. Goodwin (ONIR)

Plant: 40in (101.6cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.

Leaf: 8in (20.3cm) long; 7in (17.8cm) wide; 13-15 vein pairs; slightly blue-green with creamy white, .75 to 1in (1.9 to 2.5cm) wide, flat margins; dull on top; glaucous bloom underneath; nearly round; cordate base; lightly cupped, twisted, folded & wavy overall.

Scape: 36 to 40in (91.4 to 101.6cm) high; medium green

Flower: 1.5in (3.8cm) long; white; tubular; Jun 1 - Jul 15;

Zionsville, IN

Seed: sets viable seeds, medium green pod

Clump History: original seedling; 15 years old; Zionsville, IN

Notable Characteristics: Wide creamy margins on blue leaves that green up as the season extends.

Parentage: seedling of variegated *H. montana* seedling

Seasonal Color: Leaf center changes from blue-green to green.

I

H. 'Ice Queen' C. Kwick (ONIR)

Plant: 14in (35.6cm) diameter; 10in (25.4cm) high; upright.

Leaf: 7in (17.8cm) long; 5in (12.7cm) wide; 11 to 12 vein pairs; medium green with creamy white, .25 to .5in (.6 to 1.3cm) wide, flat margins; glaucous bloom on top; glaucous bloom underneath; ovate with cordate base.

Scape: 18 to 24in (45.7 to 61cm) high; green

Flower: 2.25in (5.7cm) long; pale lavender; tubular; Jun 1 - Jul 15; Eau Claire, WI

Seed: sets seed; viability not reported

Clump History: original seedling; 3 years old; Eau Claire, WI

Notable Characteristics: Cordate leaf with creamy white margins of varying widths.

Parentage: (*H.* 'Dream Queen' x *H.* 'Ice Age Trail')

H. 'Infatuation' R. Solberg (ONIR)

Plant: 24in (61cm) diameter; 14in (35.6cm) high; upright; moderate growth rate.

Leaf: 8in (20.3cm) long; 4in (10.2cm) wide; 9 to 10 vein pairs; intensely blue-green with slightly rippled margins; glaucous bloom on top; glaucous bloom underneath; ovate with rounded base; lightly wavy overall.

Petiole Characteristics: cranberry color of petiole extends up into the leaf blade

Flower: med-lavender; tubular; Aug 15 – Oct 1; Franklinton, NC

Clump History: original seedling; 4 years old; Franklinton, NC

Notable Characteristics: Pointed blue leaves with waxy tops and bottoms, cranberry petioles into the leaf blade.

Parentage: (Solberg 49 Best sdlg. x *H.* 'Red October')

H. 'Island Fling' A. Blake (ONIR)
Plant: 32in (81.3cm) diameter; 13in (33cm) high; upright; fast growth rate.
Leaf: 7in (17.8cm) long; 4.5in (11.4 cm) wide; 9 to 10 vein pairs; medium blue-green; .25-.50in (.65-1.3cm) wide; flat, golden yellow margins; dull on top; glaucous underneath; broadly ovate with cordate base; lightly corrugated overall.
Flower: pale lavender; Jan 15 – Feb 15; Lower Barrington, Tasmania (Australia)
Clump History: original sport; 7 years old; Lower Barrington, Tasmania (Australia)
Notable Characteristics: Fast growing, pest resistant, nice marginal streaking.
Parentage: Sport of *H. 'Fortunei Aureomarginata'*

H. 'Island Flourish' A. Blake (ONIR)
Plant: 34in (86.4cm) diameter; 14in (35.6cm) high; upright; moderate growth rate.
Leaf: 9in (22.86cm) long; 5in (12.7cm) wide; 10 vein pairs; medium green; slightly rippled margin; dull on top; glaucous underneath; broadly ovate with rounded base; moderately wavy overall.
Flower: pale lavender; Dec 1 – Jan 15; Lower Barrington, Tasmania (Australia)
Clump History: original seedling; 4 years old; Lower Barrington, Tasmania (Australia)
Notable Characteristics: Pretty apple green color, wavy leaves.
Parentage: (*H. 'Spartacus'* x unknown)

H. 'Island Heartbreaker' A. Blake (ONIR)
Plant: 54in (132.1cm) diameter; 23in (58.4cm) high; upright; fast growth rate.
Leaf: 10.75in (27.3cm) long; 7.75in (19.7cm) wide; 13 vein pairs; slightly blue-green; flat; dull on top; slightly shiny underneath; broadly ovate with cordate base; lightly corrugated overall.
Flower: pale lavender; Jan 15 – Feb 15; Lower Barrington, Tasmania (Australia)
Clump History: original seedling; 7 years old; Lower Barrington, Tasmania (Australia)
Notable Characteristics: Large, heart-shaped, bluish-green leaves.
Parentage: Parentage unknown

H. 'Island Splendour' A. Blake (ONIR)
Plant: 50in (127cm) diameter; 24in (61cm) high; upright; fast growth rate.
Leaf: 12in (30.5cm) long; 6.5in (16.5cm) wide; 10 to 11 vein pairs; greenish-yellow; slightly rippled margin; dull on top; glaucous underneath; ovate with cordate base; lightly wavy overall.
Flower: near white; Nov 1 - Dec 1; Lower Barrington, Tasmania (Australia)
Clump History: original seedling; 4 years old; Lower Barrington, Tasmania (Australia)
Notable Characteristics: Lovely oblong/ovate leaves of chartreuse color.
Parentage: (*H. 'Midas Touch'* x unknown)

H. 'Island Sun' A. Blake (ONIR)
Plant: 30in (76.2cm) diameter; 14in (35.6cm) high; upright; moderate growth rate.
Leaf: 8in (20.3cm) long; 5.5in (14cm) wide; 9 to 10 vein pairs; yellow; slightly rippled margin; dull on top; glaucous underneath; broadly ovate with cordate base; moderately wavy overall.

Flower: near white; Nov 1 - Dec 1; Lower Barrington, Tasmania (Australia)
Clump History: original seedling; 4 years old; Lower Barrington, Tasmania (Australia)
Notable Characteristics: Stunning, bright yellow with wavy leaves.
Parentage: (*H. 'War Paint'* x unknown)

H. 'Island Velvet' A. Blake (ONIR)
Plant: 36in (91.4cm) diameter; 16in (40.6cm) high; upright; fast growth rate.
Leaf: 7.5in (19.1cm) long; 4.5in (11.4cm) wide; 9 vein pairs; dark green; slightly rippled margin; slightly shiny on top; very shiny underneath; ovate with rounded base; mostly flat overall.
Flower: pale lavender; Jan 15 - Feb 15; Lower Barrington, Tasmania (Australia)
Clump History: original seedling; 7 years old; Lower Barrington, Tasmania (Australia)
Notable Characteristics: Pretty, velvet sheen on dark green leaves.
Parentage: Parentage unknown

H. 'Island Waves' A. Blake (ONIR)
Plant: 45in (114.3cm) diameter; 20in (50.5cm) high; upright; moderate growth rate.
Leaf: 7in (17.8cm) long; 3in (7.6cm) wide; 8 vein pairs; medium blue-green; slightly rippled margin; dull on top; glaucous underneath; lance shaped with rounded base; moderately wavy overall.
Flower: pale lavender; bell shaped; Nov 1 - Dec 1; Lower Barrington, Tasmania (Australia)
Clump History: original seedling; 4 years old; Lower Barrington, Tasmania (Australia)
Notable Characteristics: Lance shaped, wavy blue leaves.
Parentage: (*H. 'Crispula'* x unknown)

J

H. 'Jarno' M. Lokies (ONIR)
Plant: 15.75in (40cm) diameter; 13.8in (35cm) high; mound-like.
Leaf: 6.3in (16cm) long; 3.5in (9cm) wide; 7 vein pairs; greenish yellow with flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with rounded base; lightly folded overall.
Petiole Characteristics: light green
Scape: 14 to 16in (35 to 40cm) high; light green
Flower: 1.4in (3.6cm) long; viewed from inside, pale purple background with white margins, similar to *H. takahashii*; bell shaped; Jul 15 – Aug 15; 46284 Dorsten, NRW, Germany
Seed: sets viable seed; green pod
Clump History: original seedling; 5 years old; 46284 Dorsten, NRW, Germany
Notable Characteristics: Very sun tolerant and pest resistant. Good container plant.
Parentage: (*H. 'Korean Snow'* x *H. 'June'*)
Seasonal Color: lutescent

H. 'Jipson Place City Shadows' K. Anderson (O)
 D. & J. Butler (NIR)
Plant: 56in (142.2cm) diameter; 24in (61cm) high; upright; moderate growth rate.
Leaf: 11in (27.9cm) long; 9in (22.9cm) wide; 16 vein pairs; greenish yellow with .5 to 1.25in (1.3 to 3.2cm) wide, medium to dark-green, flat margins; dull on top; dull underneath; broadly ovate

2016 REGISTRATIONS

with cordate base; lightly cupped both up and down, and lightly corrugated overall.

Scape: 24 to 27in (61 to 68.6cm) high; green

Flower: 2in (5.1cm) long; near white; tubular; Jun 1 – Jul 15; Indianapolis, IN

Seed: sets seeds, viability is unknown; green

Clump History: original sport; 11 years old; Indianapolis, IN

Notable Characteristics: Upright with overlapping streaks at the base. Dark margins against yellow center makes a striking display that catches your eye from a distance.

Parentage: Sport of *H. 'City Lights'*

H. 'Jipson Place Meteor Crater' D. & J. Butler (ONIR)

Plant: 62in (157.5cm) diameter; 29in (73.7cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 8in (20.3cm) wide; 18 vein pairs; intensely blue-green with flat margins; dull on top; dull underneath; broadly ovate with cordate base; deeply cupped overall.

Scape: 19 to 24.5in (48.3 to 62.2cm) high; green

Flower: 1in (2.5cm) long; near white with pale lavender stripes inside; bell shaped; Jun 1 – Jul 15; Indianapolis, IN

Clump History: original seedling; 10 years old; Indianapolis, IN

Notable Characteristics: Most leaves are deeply and broadly cupped, very rugose with thick substance. Slug resistant.

Parentage: Parentage unknown

Seasonal Color: turns greener as season progresses.

H. 'Jipson Place Summer Solstice' D. & J. Butler (ONIR)

Plant: 86in (218.4cm) diameter; 39in (99.1cm) high; mound-like; fast growth rate.

Leaf: 15in (38.1cm) long; 12in (30.5cm) wide; 15 to 16 vein pairs; golden yellow with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; moderately wavy and corrugated overall.

Scape: 36 to 38in (91.4 to 96.5cm) high; green

Flower: 2in (5.1cm) long; near white with pale lavender stripes deep inside; tubular; Jun 1 – Jul 15; Indianapolis, IN

Seed: sets viable seeds; green

Clump History: original seedling; 12 years old; Indianapolis, IN

Notable Characteristics: Giant, fast grower. Withstands a lot of sun in Indiana. Around the summer solstice its color begins a series of color changes. Show stopper across the garden.

Parentage: Parentage unknown

Seasonal Color: emerges a celery/grey green, changes to pale yellow then golden yellow, which holds until fall.

H. 'Jipson Place Tree Top Lover' D. & J. Butler (ONIR)

Plant: 88in (223.5cm) diameter; 47in (119.4cm) high; upright; fast growth rate.

Leaf: 16.5in (41.9cm) long; 13in (33cm) wide; 17 vein pairs; intensely blue-green with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; moderately wavy and corrugated overall.

Scape: 30 to 32in (76.2 to 81.3cm) high; green

Flower: 2.25 in (5.7cm) long; near white; bell shaped; Jun 1–Jul 15; Indianapolis, IN

Seed: sets viable seeds; green

Clump History: original seedling; 11 years old; Indianapolis, IN

Notable Characteristics: Giant, extremely upright, fast grower. Powder blue in spring and holds its blue-green color well through mid-summer. A statement hosta.

Parentage: Parentage unknown

H. 'Joy Ride'

H. Hansen (ONR) Walters Gardens (I)

Plant: 80in (203.2cm) diameter; 25in (63.5cm) high; mound-like; fast growth rate.

Leaf: 10.5in (26.7cm) long; 6in (15.2cm) wide; 8 to 10 vein pairs; medium blue-green with heavily rippled margins; glaucous bloom on top; glaucous bloom underneath; lance-shaped with tapered base; moderately wavy overall.

Scape: 41 to 45in (104 to 114.3cm) high; medium green

Flower: 1.75in (4.4cm) long; near white; translucent edges by day's end with very pale lavender interior striping; tubular; Jul 15 – Aug 15; Zeeland, MI

Seed: sets viable seeds; medium green

Clump History: original seedling; 7 years old; Zeeland, MI

Notable Characteristics: Large, fast-growing blue with ruffled leaves and cascading/arching scapes.

Parentage: (*H. 'Salute'* x *H. 'Maekawa'*)

H. 'Just Joshin'

E. Schulz (ONIR)

Plant: 30in (76.2cm) diameter; 14in (35.6cm) high; flat mound; slow growth rate.

Leaf: 8in (20.3cm) long; 6in (15.2cm) wide; 11 vein pairs; yellowish-white variably dappled dark green with very slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; relatively flat overall.

Scape: 20 to 24in (40 to 61cm) high; green

Flower: 1in (2.54cm) long; near white; tubular; Jul 15 – Aug 15; Peosta, IA

Seed: sets seeds, viability is unknown; green

Clump History: original seedling; 5 years old; Peosta, IA

Notable Characteristics: Color change as leaf matures, from solid green to variable pattern of yellowish-white at the leaf base to darker green at the apex and tip.

Parentage: (*H. 'Who Dat'* x unknown)

Seasonal Color: Change as described in Notable Characteristics

K

H. 'Kim'

C. Kwick (ONIR)

Plant: 50in (127cm) diameter; 31in (78.7cm) high; upright; fast growth rate.

Leaf: 12in (30.5 cm) long; 11in (27.9cm) wide; 15 to 16 vein pairs; medium blue-green; flat margins; glaucous bloom on top; glaucous bloom underneath; nearly round with cordate base; lightly cupped, moderately corrugated overall.

Scape: 36 to 40in (91.4 to 101.6cm) high; green.

Flower: 2.25in (5.7cm) long; pale lavender; tubular; Jun 1 – Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted.

Clump History: original seedling; 7 years old; Eau Claire, WI

Notable Characteristics: Giant sized with lightly cupped, shiny, corrugated leaves.

Parentage: (*H. 'Komodo Dragon'* x unknown)

H. 'King Tucker' C. Kwick (ONIR)
Plant: 42in (106.7cm) diameter; 30in (76.2cm) high; upright; fast growth rate.
Leaf: 15in (38.1cm) long; 9.5in (24.1cm) wide; 14 to 15 vein pairs; dark green; flat margins; slightly shiny on top; glaucous bloom underneath; ovate with cordate base.
Scape: 36 to 38in (91.4 to 96.5cm) high; green.
Flower: pale lavender; Aug 15 – Oct 1; Eau Claire, WI
Clump History: original seedling; 4 years old; Eau Claire, WI
Notable Characteristics: Tall, upright giant with dark green, shiny leaves.
Parentage: (*H. 'Blue Umbrellas'* x *H. montana 'Aureomarginata'*)

H. 'Kiss Me Farewell' C. Kwick (ONIR)
Plant: 28in (71cm) diameter; 12in (30.5cm) high; mound-like.
Leaf: 12in (30.5cm) long; 8in (20.3cm) wide; 11 to 12 vein pairs; golden yellow with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly wavy overall.
Scape: 24 to 40in (61 to 101.6cm) high; light green
Flower: 2.5in (6.4cm) long; pale lavender; tubular; Jun 1 – Jul 15; Eau Claire, WI
Seed: sets seeds, viability not submitted; light green
Clump History: original seedling; 4 years old; Eau Claire, WI
Notable Characteristics: Ruffled margins and prominent veins
Parentage: (*H. 'Delta Dawn'* x *H. 'Sum and Substance'*)
Seasonal Color: Emerges greenish yellow, then turns golden yellow

H. 'Kiss Me Kwick' C. Kwick (ONIR)
Plant: 16in (40.6cm) diameter; 8in (20.3cm) high; mound-like; slow growth rate.
Leaf: 7in (17.8cm) long; 5in (12.7cm) wide; 11 to 12 vein pairs; greenish yellow with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base.
Scape: 24 to 30in (61 to 76.2cm) high; light green
Flower: 1.25in (3.2cm) long; pale lavender; tubular; Jun 1 – Jul 15; Eau Claire, WI
Seed: sets seeds, viability not submitted; green
Clump History: original seedling; 4 years old; Eau Claire, WI
Notable Characteristics: Petite golden leaves in a tight cluster
Parentage: (*H. 'Delta Dawn'* x *H. 'Sum and Substance'*)
Seasonal Color: Turns more golden yellow as season progresses.

L

H. 'Lady Christin May' C. Kwick (ONIR)
Plant: 10in (25.4cm) diameter; 10in (25.4cm) high; mound-like.
Leaf: 3in (7.6cm) long; 1.25in (3.2cm) wide; 4 vein pairs; light green; flat margins; dull on top; slightly shiny underneath; lance-shaped with tapered base; moderately flat overall.
Scape: 16 to 20in (40 to 50.8cm) high; light green
Flower: 1.5in (3.8cm) long; purple with purple striping; tubular; Aug 15 – Oct 1; Eau Claire, WI
Clump History: original seedling; 4 years old; Eau Claire, WI
Notable Characteristics: Emerges white, turns light green in mid-summer, with petite, purple-striped flowers.
Parentage: (*H. 'Sum of All'* x *H. 'Carol'*)
Seasonal Color: Viridescent; white to light green.

H. 'Lady Peyton' C. Kwick (ONIR)
Plant: 22in (55.9cm) diameter; 30in (76.2cm) high; rhizomatous.
Leaf: 9in (22.9cm) long; 9in (22.9cm) wide; 10 to 11 vein pairs; greenish yellow; slightly rippled margins; slightly shiny on top; glaucous bloom underneath; ovate with cordate base; lightly cupped overall.

20

Flower: pale lavender; Jul 15 – Aug 15; Eau Claire, WI
Clump History: original seedling; 4 years old; Eau Claire, WI
Notable Characteristics: Crisp, cupped and gracefully pointed leaves that are held very upright.
Parentage: (*H. 'Carol'* x *H. 'Hadspen Blue'*)

H. 'Lambeau Leap' C. Finke (ONIR)
Plant: 30in (76.2cm) diameter; 18in (45.7cm) high; upright; moderate growth rate.
Leaf: 10.75in (27.3cm) long; 6.75in (17.1cm) wide; 10 vein pairs; greenish yellow with 1.25in (3.2cm) wide, dark green, slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate; lightly cupped and wavy overall.
Petiole Characteristics: greenish-yellow, channel shaped with dark green edges.
Scape: 23 to 25in (58.4 to 63.5cm) high; light green
Flower: 2.5in (6.4cm) long; near white outside with light lavender stripes inside; tubular; Jun 1 – Jul 15; Grafton, WI
Seed: sets viable seeds; green
Clump History: original seedling; 3 years old; Grafton, WI
Notable Characteristics: Big leaves of heavy substance with slight ripple on leaf edges and a green-gold center.
Parentage: (Finke sdlg. 13 x unknown)

H. 'Light of Day' D. Dean (OIR) G. Lindheimer (N)
Plant: 27in (68.6cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.
Leaf: 6.25in (15.9cm) long; 4.5in (11.4cm) wide; 7 to 8 vein pairs; greenish yellow with medium green intermediate color and feathered, slightly blue-green, .5 to 1.75in (1.3 to 4.4cm) wide, flat margins; dull on top; dull underneath; broadly ovate with cordate base; moderately folded, lightly wavy and corrugated overall.
Petiole Characteristics: med-green with slightly blue-green edges
Scape: 19 to 25in (48.3 to 63.5cm) high; medium green
Flower: 1.25in (3.2cm) long; pale lavender; slightly darker mid-rib; bell-shaped; Jun 1 – Jul 15; Ramsey, MN
Seed: sets viable seeds; medium green with pink blush
Clump History: original sport; 7 years old; Ramsey, MN
Notable Characteristics: Tricolor with yellow center, narrow medium green intermediate color and slightly blue-green edges that feather into the center. Petiole and scape match center color and pods have pink blush.
Parentage: Sport of sdlg. (*H. 'Little Wonder'* x *H. 'Whimsey'*)
Seasonal Color: dark green margin with creamy-white center late

H. 'Light Ray' R. Solberg (ONIR)
Plant: 38in (96.5cm) diameter; 20in (50.8cm) high; upright; moderate growth rate.
Leaf: 8.5in (21.6cm) long; 6in (15.2cm) wide; 10 vein pairs; medium green with .75 to 1in (1.9 to 2.5cm) wide creamy white, flat margins; slightly shiny on top; slightly shiny underneath; broadly ovate with cordate base; relatively flat overall.
Flower: pale lavender; Jun 1 – Jul 15; Franklinton, NC
Clump History: original seedling; 4 years old; Franklinton, NC
Notable Characteristics: Upright large leaves with a bright white margin.
Parentage: Parentage unknown
Seasonal Color: Emerges with light yellow margins that turn creamy white.

H. 'Logan' C. Kwick (ONIR)
Plant: 48in (121.9cm) diameter; 24in (61cm) high; upright; fast growth rate.

2016 REGISTRATIONS

Leaf: 13in (33cm) long; 11in (27.9cm) wide; 14 to 15 vein pairs; medium green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base; moderately corrugated overall.

Scape: 30 to 38in (76.2 to 96.5cm) high; green

Flower: 1.75in (4.4cm) long; pale purple; tubular; Jun 1 – Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted

Clump History: original seedling; 7 years old; Eau Claire, WI

Notable Characteristics: Fast grower with broad, corrugated leaves.

Parentage: (*H. sieboldiana* 'Elegans' x unknown)

H. 'Lois Jane' M. Milbradt (ONIR)

Plant: 12in (30.5cm) diameter; 8in (20.3cm) high; upright; moderate growth rate.

Leaf: 8in (20.3cm) long; 1.25in (3.2cm) wide; 4 vein pairs; medium green with creamy white streaks and slightly rippled margins; dull on top; dull underneath; lance-shaped with tapered base; relatively flat overall.

Petiole Characteristics: streaks continue from leaf down the entire petiole.

Scape: 26 to 30in (66 to 76.2cm) high; burgundy

Flower: 1.75in (4.4cm) long; deep purple with white stripes; tubular; Jul 15 – Aug 15; Slayton, MN

Seed: sets viable seeds; burgundy

Clump History: original seedling; 4 years old; Slayton, MN

Notable Characteristics: Rippled, slightly wavy leaves are heavily streaked green and white. Streaks run all the way down the petiole.

Parentage: (*H. 'Sea Lightning'* x unknown)

M

H. 'Miss Mitzi' R. & B. Schroeder (NIR) D. Beilstein (O)

Plant: 36in (91.4cm) diameter; 12in (30.5cm) high; upright.

Leaf: 7.5in (19cm) long; 5in (12.7cm) wide; 7 vein pairs; quad-color green with creamy white, .25 to .5in (.3 to 1.3cm) wide, slightly rippled margins; slightly shiny on top; slightly shiny underneath; broadly ovate with a rounded base; lightly wavy overall.

Scape: 18 to 20in (45.7 to 50.8cm) high; medium green

Flower: near white with lavender streaks mid-petal; tubular; Jun 1 - Jul 15; Champagne, IL

Seed: sets viable seed; green pod

Clump History: original seedling; 13 years old; Champagne, IL

Notable Characteristics: Quad-colors in leaf center include med-green, dark-green, slightly blue-green & greenish-yellow; smaller than *H. 'montana* Aureomarginata'.

Parentage:

(*H. 'Goddess of Athena'* x *H. montana* 'Aureomarginata')

N

H. 'Netzwerk' J. Scholz (ONIR)

Plant: 12in (30.5cm) diameter; 9.8in (25cm) high.

Leaf: 7.9in (20cm) long; 6in (15.2cm) wide; medium green with yellow/white veins, slightly rippled margins; slightly shiny on top; dull underneath.

Clump History: original sport, 30 years old; Bielefeld, Germany

Notable Characteristics: Leaf veins are yellow to white forming a "network" effect.

Parentage: Sport of unknown origin.

Seasonal Color: Leaves emerge green then, with sun, the veins & network of streaks turn yellow/white.

O

H. 'Ohh! Clare'

E. Schulz (ONIR)

Plant: 28in (71.1cm) diameter; 23in (58.4cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 7.75 in (19.7cm) wide; 13 to 15 vein pairs; pale yellow with slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly corrugated overall.

Scape: 28 to 32in (71.1 to 81.3cm) high; green

Flower: 1in (2.54cm) long; white; tubular; Jul 15 – Aug 15; Peosta, IA

Seed: sets viable seeds; light green

Clump History: original seedling; 5 years old; Peosta, IA

Notable Characteristics: Leaf presentation, mound shape and pale yellow color when mature.

Parentage: Parentage unknown

Seasonal Color: Starts out greenish-yellow, then turns pale yellow.

H. 'Ohh! Elvira'

E. Schulz (ONIR)

Plant: 38in (96.5cm) diameter; 27in (68.6cm) high; upright; moderate growth rate.

Leaf: 12in (30.5cm) long; 8in (20.3cm) wide; 13 to 14 vein pairs; golden yellow with flat margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly to moderately folded overall.

Scape: 26 to 36in (66 to 91.4cm) high; green

Flower: 1.13in (2.9cm) long; near white; tubular; Jul 15 – Aug 15; Peosta, IA

Seed: sets viable seeds; green

Clump History: original seedling; 5 years old; Peosta, IA

Notable Characteristics: Vase-shaped with three-dimensional v-shaped leaf.

Parentage: Parentage unknown

P

H. 'Parchment Paper'

S. Beikmann (ONIR)

Plant: 25in (63.5cm) diameter; 12in (30.5cm) high; upright; moderate growth rate.

Leaf: 10in (25.4cm) long; 7in (17.8cm) wide; 11 to 13 vein pairs; creamy white with flat margins; dull on top; dull underneath; broadly ovate with cordate base; lightly wavy, moderately flat overall; acuminate.

Scape: 18 to 24in (45.7 to 61cm) high; yellow-green

Flower: 2in (5.1cm) long; medium lavender with darker stripes inside; tubular; Jul 15 – Aug 15; Niles, MI

Seed: does not set seed

Clump History: original seedling; 8 years old; Niles, MI

Notable Characteristics: Leaves go from chartreuse to lemon-yellow, to creamy white with occasional green tips.

Parentage: (*H. 'Paradise Joyce'* x *H. 'Purple Haze'*)

Seasonal Color: Albescent. Starts chartreuse, turns lemon-yellow, then finally creamy white by August.

H. 'Pathway Foundling'

G. R. Goodwin (ONIR)

Plant: 20in (50.8cm) diameter; 10in (25.4cm) high; mound-like; fast growth rate.

Leaf: 5in (12.7cm) long; 3in (7.6cm) wide; 5-7 vein pairs; light green with dark green, .5in (1.3 cm) wide, slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly cupped, twisted, folded, wavy & corrugated overall.

Scape: 15 to 20in (38.1 to 50.8cm) high; medium green with red spots

Flower: 1.5 to 2in (3.8 to 5.1cm) long; medium lavender; striped; tubular; Jul 15 - Aug 15; Zionsville, IN

Seed: sets viable seeds, medium green pod

Clump History: original seedling; 14 years old; Zionsville, IN

Notable Characteristics: Viridescent leaf centers turn from light yellow to green.

Parentage: Parentage unknown

Seasonal Color: Leaf changes from yellow with green margin to all green in the summer.

H. 'Pea Pod' R. Solberg (ONIR)

Plant: 48in (121.9cm) diameter; 22in (55.9cm) high; mound-like; fast growth rate.

Leaf: 9in (22.9cm) long; 8in (20.3cm) wide; dark green with flat margins; very shiny on top; very shiny underneath; nearly round; moderately cupped and corrugated overall.

Scape: 28 to 30in (61 to 76.2cm) high; dark green

Flower: fragrant; near white; tubular; Jun 1 – Jul 15; Franklinton, NC

Clump History: original sport; 4 years old; Franklinton, NC

Notable Characteristics: Dark green cupped and puckered leaves with fragrant flowers and rapid growth rate.

Parentage: Sport of *H. 'Sugar Snap'*

H. 'Persian Red' G. & R. Ragus (ONIR)

Plant: 15in (38cm) diameter; 11.4in (30cm) high; upright; moderate growth rate.

Leaf: 5.9in (15cm) long; 1.7in (5cm) wide; 5 to 6 vein pairs; medium green with heavily rippled margins; dull on top; dull underneath; broadly ovate with flat base; intensely wavy overall.

Petiole Characteristics: Red at the base, then green with sawblade-like edges as it transitions into the leaf.

Scape: 21.6 to 23.6in (55 to 60cm) high; green with red speckling

Flower: 1.76in (5cm) long; intense purple with dark purple stripes, dark purple lines inside on pale purple background, glaucous margins; tubular; Jul 15 – Aug 15; Ganderkesee, Germany

Seed: sets viable seed; brownish-green

Clump History: original seedling; 4 yrs old; Ganderkesee, Germany

Notable Characteristics: Extremely wavy edges are saw-like at the leaf base. Petioles are bright red at the base, changing to dotted red, then green. Dark purple flowers.

Parentage: (*H. 'Crested Surf'* x unknown)

H. 'Pewter Goblet' L. Coffman (ONIR)

Plant: 36in (91.4cm) diameter; 24in (61cm) high; mound-like; moderate growth rate.

Leaf: 10in (25.4cm) long; 7in (17.8cm) wide; dark green; slightly shiny on top; dull underneath; nearly round with cordate base; deeply cupped & deeply corrugated overall.

Flower: pale lavender; bell shaped; Jul 15 - Aug 15; Chesterton, IN

Clump History: original seedling; 5 years old; Chesterton, IN

Notable Characteristics: Very cupped, goblet shaped leaves.

Parentage: Parentage unknown

H. 'Proud Mary' M. J. Duncan (ONIR)

Plant: 40in (101.6cm) diameter; 25in (63.5cm) high; upright; moderate growth rate.

Leaf: 10in (25.4cm) long; 5in (12.7cm) wide; 8 to 10 vein pairs; dark green, heavily rippled margin; shiny on top; very shiny underneath; ovate with flat base; deeply wavy overall.

Scape: 30 to 38in (76.2 to 96.5cm) high; medium green

Flower: 1.5in (3.8cm) long; medium lavender; soft striping fades towards flower edges; tubular; Jul 15 - Aug 15; Brooklyn Park, MN

Seed: does not set seed

Clump History: original seedling; 8 years old; Brooklyn Park, MN

Notable Characteristics: Dark green, shiny, deeply ribbed leaves that flow as if from a fountain. It stands proud!

Parentage: Parentage unknown

H. 'Proud Peacock' D. Dean (ONIR)

Plant: 24in (61cm) diameter; 17in (43.2cm) high; upright; moderate growth rate.

Leaf: 9in (22.9cm) long; 6.25in (15.9cm) wide; 9 to 10 vein pairs; greenish yellow with medium green intermediate color and slightly blue-green, 1.5 to 2.5in (3.8 to 6.4cm) wide, slightly rippled margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base; lightly twisted and moderately wavy overall.

Petiole Characteristics: creamy white center, dark green edge and fine lines of medium green throughout

Scape: 28 to 32in (71.1 to 81.3cm) high; light green

Flower: 2.125in (5.4cm) long; pale lavender with translucent margins & slightly darker mid-rib; tubular; Jun 1 – Jul 15; Ramsey, MN

Seed: sets viable seeds; greenish cream

Clump History: original sport; 6 years old; Ramsey, MN

Notable Characteristics: Vase shaped, tricolor with broad, feathered border. Good growth in partially sunny location.

Parentage:

Sport of sdlg. [(*H. 'William Lachman'* x *H. 'Sagae'* sdlg.) x *H. 'Sagae'*] x *H. 'Fluted Fountain'*]

Seasonal Color: center becomes creamy white

H. 'Purple Mischief' C. Kwick (ONIR)

Plant: 18in (45.7cm) diameter; 15in (38.1cm) high; upright; moderate growth rate.

Leaf: 7in (17.8cm) long; 4.5in (11.4cm) wide; 7 to 8 vein pairs; medium blue-green with flat margins; very shiny on top; very shiny underneath; ovate with tapered base.

Scape: 20 to 26in (50.8 to 66cm) high; purple

Flower: 1.75in (4.4cm) long; deep purple; tubular; Jun 1 – Jul 15; Eau Claire, WI

Clump History: original seedling; 3 years old; Eau Claire, WI

Notable Characteristics: Shiny, blue-green leaves with deep purple flowers held on purple scapes.

Parentage: Parentage unknown

R

H. 'Reddish Dot' Donghuan Liu (ONR) Shiwei Zhao (I)

Plant: 33.5in (80-90cm) diameter; 16.5in (40-45cm) high; mound-like; fast growth rate.

Leaf: 7in (16-18cm) long; 3.5in (8-9cm) wide; 6 to 7 vein pairs; green (143A) with slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate with tapered base; moderately wavy overall.

Petiole Characteristics: reddish purple speckles

Scape: 24 to 47in (60 to 120cm) high; reddish purple

Flower: 2.15in (5.5cm) long; deep purple (N82B) lobes with darker purple (N82A) stripes; tubular; Jul 15 – Aug 15; Beijing, China

Seed: sets viable seeds

Clump History: original seedling; 6 years old; Beijing, China

Notable Characteristics: Reddish purple speckled petioles surround erect scapes with reddish dots. Deep purple flowers.

Parentage: (*H. 'Patrician'* x *H. plantaginea*)

2016 REGISTRATIONS

H. 'Redneck Mardi Gras' M. J. Duncan (ONIR)
Plant: 24in (61cm) diameter; 10in (25.4cm) high; rhizomatous; fast growth rate.
Leaf: 5.5in (14cm) long; 2in (5.1cm) wide; 5 vein pairs; yellow, slightly rippled margin; dull on top; slightly shiny underneath; lance shaped with tapered base; lightly folded & wavy overall.
Petiole Characteristics: red speckles
Scape: 20 to 24in (50.8 to 61cm) high; yellow w/red dots at the base
Flower: 2in (5.1cm) long; deep purple; striped, downward hanging; tubular; Aug 15 - Oct 1; Brooklyn Park, MN
Seed: does not set seed
Clump History: original seedling; 6 years old; Brooklyn Park, MN
Notable Characteristics: Grows well in poor soils; rhizomatous. Bright yellow leaves on red-speckled petioles with deep purple flowers; the colors of Mardi Gras.
Parentage: Parentage unknown
Seasonal Color: Red speckles on the petioles become more intense as season progresses.

H. 'Royal Empress' D. Rawson (ONIR)
Plant: 60in (152.4cm) diameter; 32in (81.3cm) high; mound-like; fast growth rate.
Leaf: 17in (43.2cm) long; 10in (25.4cm) wide; 17 vein pairs; medium green with 1 to 1.5in (2.5 to 3.8cm) wide, chartreuse, flat margins; slightly shiny on top; dull underneath; broadly ovate with cordate base; lightly cupped and corrugated overall.
Scape: 34in (86.4cm) high; green
Flower: 2.5 to 3in (6.4 to 7.6cm) long; pale lavender; tubular; Jun 15 - Jul 31; Comstock Park, MI
Seed: sets viable seeds; green
Clump History: original sport; 7 years old; Comstock Park, MI
Notable Characteristics: Marginally-variegated sport of *H. 'Empress Wu'* that withstands full sun. Chartreuse margins stay same color all season. Same growth rate and mammoth size as *H. 'Empress Wu.'*
Parentage: Sport of *H. 'Empress Wu'*
Seasonal Color: Very little color change throughout the season.

S

H. 'Sabrina' L. Vissers (ONIR)
Plant: 19.7in (50cm) diameter; 11.8in (30cm) high; mound-like
Leaf: 8.7in (22cm) long; 5.1in (13cm) wide; 6 vein pairs; golden yellow with slightly rippled margins; dull on top; glaucous bloom underneath; ovate with cordate base; lightly folded overall.
Petiole Characteristics: purple spotted, most intense at base
Scape: 25.6 to 29.5in (65 to 75cm) high; medium purple
Flower: 1.77in (5cm) long; medium lavender with near white base on the inside; tubular; Jul 15 – Aug 15; Lichtaart/Antwerpen/Belgium
Seed: sets viable seeds; greenish yellow with purple dots and stripes
Clump History: original seedling; 3 yrs old; Lichtaart/Antwerpen / Belgium
Notable Characteristics: Purple dotted petioles and changing leaf color.
Parentage: (*H. 'Shifting Perspectives'* x unknown)
Seasonal Color: Golden yellow turns greenish yellow.

H. 'Sam Hagerman' C. Kwick (ONIR)
Plant: 60in (152.4cm) diameter; 30in (76.2cm) high; mound-like; fast growth rate.

Leaf: 13in (33cm) long; 13in (33cm) wide; 16 to 17 vein pairs; dark green with flat margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base.
Scape: 30 to 34in (76.2 to 86.4cm) high; green
Flower: 2.25in (5.7cm) long; pale lavender; tubular; Jun 1 – Jul 15; Eau Claire, WI
Seed: sets seeds, viability not submitted
Clump History: original seedling; 5 years old; Eau Claire, WI
Notable Characteristics: Fast growing giant with large, lightly corrugated leaves.
Parentage: (*H. 'Sagae'* x unknown)

H. 'Scimitar' J. Tucker (ONIR)
Plant: 36in (91.4cm) diameter; 18in (45.7cm) high; mound-like; moderate growth rate.
Leaf: 11in (27.9cm) long; 4.5in (11.4cm) wide; 8 vein pairs; medium blue-green, flat; slightly shiny on top; dull underneath; lance shaped with a tapered base.
Flower: near white; Jul 15 - Aug 15; Efland, NC
Clump History: original seedling, 6 years old; Efland, NC
Notable Characteristics: Persistent white leaf backs. Leaf edges are moderately wavy with serrations.
Parentage: (*H. 'Neptune'* x *H. 'Maya Kingsnake'*)
Seasonal Color: Medium blue-green changes to dark green as the wax fades.

H. 'Senora Colleen' C. Kwick (ONIR)
Plant: 32in (81.3cm) diameter; 16in (40.6cm) high; mound-like.
Leaf: 6.5in (16.5cm) long; 5.5in (14cm) wide; 8 to 9 vein pairs; medium green; flat; very shiny on top; slightly shiny underneath; lightly folded; broadly ovate with cordate base.
Scape: 24 to 30in (61 to 76.2cm) high; medium green
Flower: 2.25in (5.7cm) long; medium lavender, striped; tubular; Jul 15 - Aug 15; Eau Claire, WI
Seed: sets seed; viability not reported
Clump History: original seedling; 4 years old; Eau Claire, WI
Notable Characteristics: Nearly perfect mound-shaped clump of shiny leaves. Striped lavender & white flower has a not unpleasant scent.
Parentage: (*H. 'Sunshine Glory'* x *H. 'Carol'*)

H. 'She Don't Know She's Beautiful' C. Kwick (ONIR)
Plant: 40in (101.6cm) diameter; 20in (50.8 cm) high; mound-like; moderate growth rate.
Leaf: 9in (22.9cm) long; 8in (20.3cm) wide; 13 to 14 vein pairs; golden yellow with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with cordate base; lightly cupped & moderately corrugated overall.
Scape: 28 to 34in (61 to 86.4cm) high; light green
Flower: 1.5in (3.8cm) long; med lavender; tubular; Jun 1 – Jul 15; Eau Claire, WI
Seed: sets seeds, viability not submitted
Clump History: original seedling; 6 years old; Eau Claire, WI
Notable Characteristics: Tight mound of corrugated, slightly cupped golden leaves.
Parentage: Parentage unknown
Seasonal Color: Turns more golden as season progresses.

H. 'Sir Adam' C. Kwick (ONIR)
Plant: 28in (71.1cm) diameter; 24in (61cm) high; upright; fast growth rate.
Leaf: 10in (25.4cm) long; 9in (22.9cm) wide; 11 to 12 vein pairs; yellow with heavily rippled margins; slightly shiny on top; slightly

shiny underneath; broadly ovate with cordate base; lightly corrugated overall.

Scale: 36 to 40in (91.4 to 101.6cm) high; light green

Flower: 2in (5.1cm) long; pale purple; tubular; Jun 1 – Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted

Clump History: original seedling; 5 years old; Eau Claire, WI

Notable Characteristics: A regal golden yellow that's upright and a fast grower.

Parentage: (*H. 'Sagae'* x *H. 'Sea Gulf Stream'*)

Seasonal Color: Turns more golden yellow as season progresses.

H. 'Sir Cocky' C. Kwick (ONIR)

Plant: 33in (83.8cm) diameter; 30in (76.2cm) high; upright; fast growth rate.

Leaf: 14in (35.6cm) long; 9.5in (24.1cm) wide; 15 to 16 vein pairs; dark green with flat margins; glaucous bloom on top; glaucous bloom underneath; broadly ovate with cordate base.

Scale: 32 to 38in (81.3 to 96.5cm) high; light green

Flower: 2.5in (6.4cm) long; pale lavender; tubular; Jun 1 – Jul 15; Eau Claire, WI

Seed: sets seeds, viability not submitted

Clump History: original seedling; 5 years old; Eau Claire, WI

Notable Characteristics: Bold, upright, fast growing, swaggering leaves.

Parentage:

(*H. 'Sum and Substance'* x *H. montana 'Aureomarginata'*)

H. 'Sister Garsed' G. & R. Ragus (ONIR)

Plant: 30.3in (77cm) diameter; 15in (38cm) high; upright; moderate growth rate.

Leaf: 10.2in (26cm) long; 5.3in (13.5cm) wide; 8 to 9 vein pairs; light green with flat margins; dull on top; dull underneath; ovate with flat base; relatively flat overall.

Petiole Characteristics: dotted red at the base

Scale: 30.3 to 35in (77 to 89cm) high; reddish violet

Flower: 2.6in (6.5cm) long; buds begin pale purple-white inside, then 4-5 dark purple stripes inside on pale purple background, glaucous margins; tubular; Jul 15 – Aug 15; Ganderkesee, Germany

Seed: sets viable seeds; light green

Clump History: original seedling; 5 yrs old; Ganderkesee, Germany

Notable Characteristics: Intense, big purple flowers. Ovate leaves with optimal correlation of length to width.

Parentage: (*H. 'Violetta'* x *H. 'Mikawa-no-Yuki'*)

Seasonal Color: emerges golden yellow; later in deep shade it turns dark green.

H. 'Surfboard' D. Graves (ONIR)

Plant: 36in (91.4cm) diameter; 21in (53.3cm) high; mound-like; fast growth rate.

Leaf: 12in (30.5cm) long; 6in (15.2cm) wide; 10 to 11 vein pairs; med-green with .38 to .63in (.95 to 1.6cm) wide, greenish-yellow, slightly rippled margins; slightly shiny on top; dull underneath; lance-shaped with cordate base.

Scale: 25 to 36in (63.5 to 91.4cm) high; green

Flower: 1.75in (4.4cm) long; white with pink striping; tubular; Jul 15 – Aug 15; Sylvania, OH

Seed: sets viable seeds; green

Clump History: original seedling; 7 years old; Sylvania, OH

Notable Characteristics: Long "surfboard" shaped leaves and margins mottled with varying shades of green.

Parentage: ((*H. 'Christmas Tree Gala'* x *H. 'Elatior'*) x (*H. 'Dorothy Benedict'* x *H. 'Big John'*))

T

H. 'The Diplomat' G. R. Goodwin (ONIR)

Plant: 16in (40.6cm) diameter; 6in (15.2cm) high; mound-like; fast growth rate.

Leaf: 5in (12.7cm) long; 3in (7.6cm) wide; 6 vein pairs; medium green with creamy white, 1 to 1.5in (2.5 to 3.8cm) wide, slightly rippled margins; slightly shiny on top; slightly shiny underneath; ovate; flat base; lightly cupped, folded & corrugated, moderately twisted and wavy overall.

Scale: 15 to 20in (38.1 to 50.8cm) high; dark purple

Flower: 1.5 to 2in (3.8 to 5.1cm) long; purple with white base; tubular; Jul 15 - Aug 15; Zionsville, IN

Seed: sets viable seeds, medium green pod

Clump History: original sport; 5 years old; Zionsville, IN

Notable Characteristics: Wide, creamy to white borders; dark purple stripes run down the center of each flower petal.

Parentage: tissue culture sport of *H. 'The Ambassador'*

Seasonal Color: Margins change from creamy white to white.

H. 'Transitions' D. Dean (ONIR)

Plant: 42in (106.7cm) diameter; 19in (48.3cm) high; upright; moderate growth rate.

Leaf: 9.5in (24.1cm) long; 7in (17.8cm) wide; 9 to 10 vein pairs; medium green with yellow, .5 to 2.5in (1.3 to 6.4cm) wide, slightly rippled margins; dull on top; dull underneath; broadly ovate with cordate base; lightly twisted & folded and moderately wavy overall.

Petiole Characteristics: matches leaf center color

Scale: 19 to 23in (48.3 to 58.4cm) high; medium green

Flower: 1.88in (4.8cm) long; pale lavender; slightly darker mid-rib; tubular; Jul 15 – Aug 15; Ramsey, MN

Seed: sets viable seeds; medium green

Clump History: original sport; 8 years old; Ramsey, MN

Notable Characteristics: Gradual transition of edge color from yellow to two-tone (near white outer & greenish yellow inner) mid-season, and the transition between edge and center color is also two-toned grey-green.

Parentage: Sport of ((*H. 'Liberty Bell'* x *H. 'Noah's Ark'*) x (*H. 'Sea Drift'* x OP))

Seasonal Color: Yellow margins gradually change to near white on outer edge and greenish yellow near the transition zone.

U

H. 'Uniquely Catawampus' J. Miller (O) M. Rosenberg (NR)
M. Rosenberg & J. Goodrich (I)

Plant: 21in (53.3cm) diameter; 8in (20.3cm) high; mound-like; moderate growth rate.

Leaf: 11in (27.9cm) long; 1in (2.5cm) wide; 4 vein pairs; medium green with very narrow, intermittent, heavily rippled, creamy white margins; slightly shiny on top; slightly shiny underneath; lance-shaped with a tapered base; deeply folded and wavy overall.

Scale: 30 to 33in (76.2 to 83.8cm) high; purple

Flower: pale purple w/dark purple striping; tubular; Aug 15 – Oct 1; Elroy, WI

Seed: sets viable seeds; purple

Clump History: original seedling; 6 years old; Elroy, WI

Notable Characteristics: Maintains small size & wavy edges; topped with extremely tall scapes and dark striped flowers.

Parentage: Parentage unknown

2016 REGISTRATIONS

V

H. 'Valedictorian' C. Kwick (ONIR)
Plant: 24in (61cm) diameter; 10in (25.4cm) high; mound-like; moderate growth rate.
Leaf: 6in (15.2cm) long; 5.5in (14cm) wide; 11 to 12 vein pairs; greenish yellow with flat margins; dull on top; glaucous bloom underneath; broadly ovate with cordate base.
Scape: 24 to 36in (61 to 91.4cm) high; light green
Flower: 2.25in (5.7cm) long; pale lavender; tubular; Jun 1 – Jul 15; Eau Claire, WI
Seed: sets seeds, viability not submitted
Clump History: original seedling; 5 years old; Eau Claire, WI
Notable Characteristics: Leaves emerge yellow turning a radiant golden yellow later.
Parentage: (*H. 'Paradigm'* x *H. 'Sagae'*)
Seasonal Color: Turns more golden yellow as season progresses.

H. 'Vincent Nale' C. Kwick (ONIR)
Plant: 22in (55.8cm) diameter; 18in (45.7cm) high; mound-like.
Leaf: 5.5in (14cm) long; 3.5in (8.9cm) wide; 9 to 10 vein pairs; medium green; dull on top; glaucous bloom underneath; ovate with cordate base.
Scape: 16 to 20in (40 to 50.8cm) high; light green
Flower: 1.5 in (3.8cm) long; pure white; tubular; Jun 1 – Jul 15; Eau Claire, WI
Seed: sets seeds, viability not submitted; green
Clump History: original seedling; 7 years old; Eau Claire, WI
Notable Characteristics: Tightly clustered waving & tapered leaves, long-lasting white flowers
Parentage: (*H. 'Reptilian'* x unknown)
Seasonal Color: Medium green color lightens slightly throughout the year.

H. 'Vinnie' C. Kwick (ONIR)
Plant: 16in (40.6cm) diameter; 7in (17.8cm) high; upright; slow growth rate.
Leaf: 5in (12.7cm) long; 3in (7.6cm) wide; 8 to 9 vein pairs; medium green; slightly rippled margins; ovate with tapered base; lightly cupped and wavy overall.
Scape: 12 to 16in (30.5 to 40cm) high; dark green
Flower: 1.5in (3.8cm) long; pale purple with purple stripes; tubular; Jun 1 – Jul 15; Eau Claire, WI
Clump History: original seedling; 7 years old; Eau Claire, WI
Notable Characteristics: Slow growing, lance-shaped, slightly cupping, wavy, shiny leaves.
Parentage: (*H. 'Reptilian'* x unknown)
Seasonal Color: Gets slightly darker as the season progresses.

W

H. 'White Sails' G. R. Goodwin (ONIR)
Plant: 19in (48.3cm) diameter; 16.5in (41.9cm) high; upright; slow growth rate.
Leaf: 5in (12.7cm) long; 4in (10.2cm) wide; 9 vein pairs; creamy white with chartreuse, then dark green, .5 to 1in (1.3 to 2.5cm) wide, slightly rippled margins; dull on top; dull underneath; broadly ovate; cordate base; lightly folded and wavy, moderately cupped, twisted and corrugated overall.
Petiole Characteristics: white with green edges
Scape: 20 to 26in (50.8 to 66cm) high; white
Flower: 1.5 to 2in (3.8 to 5.1cm) long; near white with translucent edges; bell-shaped; Jun 1 - Jul 15; Zionsville, IN
Seed: does not set seeds, pure white pod
Clump History: original sport; 9 years old; Zionsville, IN
Notable Characteristics: Tricolor leaves have creamy centers surrounded with light chartreuse then dark green margins on a pointed blade.
Parentage: Sport of a splashed sdg from *H. 'Warwick Choice'*

H. 'Wunv' Donghuan Liu (OR) Jinlong Fan (N) Ling Guo (I)
Plant: 37in (90-100cm) diameter; 17.7in (40-50cm) high; upright; moderate growth rate.
Leaf: 7in (17-19cm) long; 4.5in (10-12cm) wide; 7 to 8 vein pairs; medium green (137B) with slightly rippled margins; slightly shiny on top; glaucous bloom underneath; broadly ovate with tapered base; lightly wavy overall.
Petiole Characteristics: 5.9-7.9in (15-20cm) long, flat at the leaf base
Scape: 21 to 60in (53 to 100cm) high; green
Flower: 1.56in (4cm) long; white (NN155D) lobes with lavender (N80B) stripes and translucent margins; tubular; Jul 15 – Aug 15; Beijing, China
Seed: does not set seed
Clump History: original seedling; 6 years old; Beijing, China
Notable Characteristics: Straight and erect scapes with whorls of light purple flowers (5-6 flowers on each whorl). Several scapes will gather together.
Parentage: (*H. 'August Beauty'* x unknown)

Y

H. 'Yellow Corduroys' G. R. Goodwin (ONIR)
Plant: 36in (91.4cm) diameter; 16.5in (41.9cm) high; mound-like; slow growth rate.
Leaf: 10in (25.4cm) long; 8in (20.3cm) wide; 13 to 14 vein pairs; light green with yellowish-green, 2in (5cm) wide, slightly rippled margins; slightly shiny on top; dull underneath; nearly round with cordate base; moderately cupped, deeply twisted & folded, and intensely corrugated overall.
Scape: 24 to 30in (61 to 76.2cm) high; medium green
Flower: 1.5 to 2in (3.8 to 5.1cm) long; white; tubular; Jun 1 - Jul 15; Zionsville, IN
Seed: sets viable seeds, greenish yellow pod
Clump History: original seedling; 12 years old; Zionsville, IN
Notable Characteristics: Bright, tricolored, corrugated blade with downturned edges.
Parentage: Parentage unknown
Seasonal Color: Color intensity increases over the growing season.

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Minimum requirements for registration are:

- This form with bold-faced items completed in their entirety
- Three digital photographs: clump, close-up showing a representative leaf, and a close-up of the flower. Please supply the photographer's name and approximate date each photo was taken.
- Written permission from the originator (if other than the registrant)
- \$5 registration fee per cultivar name. Make check(s) payable to "The American Hosta Society"

Optional:

- Additional digital photo(s) showing unique plant characteristics

Mail required items to:

Hosta Registrar
 Gayle Hartley Alley
 33001 E 155th Street
 Pleasant Hill, MO 64080-9365

or email to:

HostaRegistry@gmail.com

Questions can be answered by calling **(816) 697-2007** or emailing GiboshiGayle@gmail.com

Feel free to photocopy this form, or visit <http://www.hostaregistrar.org> for additional copies.

Terms used on this form can be found in *The American Hosta Society Glossary of Terms* http://www.hostaregistrar.org/hosta_terminology.html

Registrations received by **November 1** will be included in that year's registration publication.

Please Note: Un-established cultivar names submitted for registration do not become established until they are published in the *Registrations* supplement of *The Hosta Journal*, accompanied by their description. However, cultivar names can become established outside this avenue by being published elsewhere prior to the publication date of the *Registrations* supplement (which could potentially negate your registration).

Key A – Flowering period(s)

Key B – Leaf Colors

Northern Hemisphere	Southern Hemisphere
AN = before June 1	AS = before Dec 1
BN = June 1 – July 15	BS = Dec 1 – Jan 15
CN = July 15 – Aug 15	CS = Jan 15 – Feb 15
DN = Aug 15 – Oct 1	DS = Feb 15 – April 1
EN = after Oct 1	ES = after April 1

light green medium green dark green greenish-yellow pale yellow yellow golden yellow green speckling streaked with _____ (enter color from above) mottled with _____ (enter color from above)	slightly blue-green medium blue-green intensely blue-green greenish-white creamy white pure white white speckling
--	---

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Registrant Information			
CULTIVAR NAME:		Alternate Name:	
Registrant Name:	Phone:	Email:	
Street Address:			
City:	State:	ZIP Code:	
Enter names below only if different from the "Registrant"			
Introducer:	Originator:	Nominant (Namer):	
General Information			
All Measurements presented on this application are in: Inches Centimeters (<i>circle one</i>)			
Is the cultivar being grown or sold under a different name or designation? Yes No (<i>circle one</i>) <i>If yes, provide detailed explanation.</i>			
Has this cultivar name ever been published? Yes No (<i>circle one</i>) <i>If yes, provide publication name(s) [catalogs included] and date(s).</i>			
Is the cultivar a Sport? Yes No (<i>circle one</i>) <i>If yes --> Parent Name:</i>			
Is the cultivar a Seedling? Yes No (<i>circle one</i>) <i>If yes enter parentage below.</i>			
Pod Parent:		Pollen Parent:	
The clump described is _____ years old and is (<i>circle all that apply on line below</i>)			
original seedling original sport (<i>enter number -></i>) generation division tissue cultured unknown history			
The clump was obtained from _____ (<i>enter 1, 2, 3 or 4</i>) 1) Yourself 2) A Nursery 3) The Originator (<i>select this <u>only</u> if the Originator is <u>different</u> from the Registrant above</i>) 4) Other Source _____			
The clump described is growing in (<i>city/state/country</i>):			
What diagnostic characteristics make this cultivar unique from other hostas? (<i>describe below</i>)			
Plant Patent or Breeders' Rights			
Is (or will) there be a patent, or Breeders Rights, applied for? Yes No (<i>circle one</i>)			
<i>If you circled "Yes" complete any applicable field(s) below.</i>			
Country:	Application #	Date:	
Country:	Pat. Pending	Date:	
Country:	Patent #	Date:	
Country:	Breeders' Rights #	Date:	
Plant Details			
Plant Habit:	Upright Mound Rhizomatous	(<i>circle one</i>)	
Growth Rate:	Slow Medium Fast	(<i>circle one</i>)	
Plant Width:		Plant Height:	

INTERNATIONAL REGISTRATION OF HOSTA CULTIVARS

Leaf Details

Leaf Color (choose from **Key B** on page 1, or from a recognized color authority such as the Royal Horticultural Society color chart). If leaf is a single color, enter under "Center Color"

Center Color:	Margin Color:
Margin Width:	Is variegation relatively stable? Yes No (<i>circle one</i>)
Seasonal Color Change (<i>describe, if applicable</i>)	

Leaf Width:	Leaf Length:	Number of Vein Pairs (range):
--------------------	---------------------	-------------------------------

Unique Petiole [leaf stalk] Characteristics (*describe, if applicable*)

Margin Appearance:	Flat	Slightly Rippled	Heavily Rippled	Serrated	<i>(circle one)</i>
---------------------------	------	------------------	-----------------	----------	---------------------

Leaf Texture (top surface):	Dull	Slightly Shiny	Very Shiny	Glaucous Bloom	<i>(circle one)</i>
------------------------------------	------	----------------	------------	----------------	---------------------

Leaf Texture (bottom surface):	Dull	Slightly Shiny	Very Shiny	Glaucous Bloom	<i>(circle one)</i>
---------------------------------------	------	----------------	------------	----------------	---------------------

Is leaf relatively flat? Yes No (*circle one*) If "No" use one or more modifiers at right to describe **only** the applicable leaf characteristics below.

<input type="checkbox"/> Cupped	<input type="checkbox"/> Twisted	<input type="checkbox"/> Folded	<input type="checkbox"/> Wavy	<input type="checkbox"/> Corrugated
---------------------------------	----------------------------------	---------------------------------	-------------------------------	-------------------------------------

Leaf Shape:	 Lance	 Elliptic	 Ovate	 Broadly Ovate	 Nearly Round	<i>(select one)</i>
--------------------	--	---	--	--	---	---------------------

Leaf Base:	 Tapered	 Flat	 Heart-Shaped [cordate]	 Rounded	<i>(select one)</i>
-------------------	---	--	--	---	---------------------

Flower, Scape & Pod Details

Flower Period: AN BN CN DN EN AS BS CS DS ES (*circle one*) (see **Key A** on pg 1 for explanation of codes)

Flower Color: White Near White Pale Lavender Medium Lavender Pale Purple Deep Purple Other _____ (*circle one*)

Scape Height: _____ to _____ (<i>range</i>)	Scape Color:	Flower Length:	Fragrance? Yes No (<i>circle one</i>)
---	--------------	----------------	---

Unique bracts? (*describe if present*)

Bloom Time Start: ____/____ (<i>month/day</i>)	Bloom Time Peak: ____/____ (<i>month/day</i>)	Bloom Time Finish: ____/____ (<i>month/day</i>)
--	---	---

Flower Color Patterns (*striping, translucent margins, etc.. Please describe*):

--

Flower Shape:	 Tubular	 Bell	 Spider	Closed	Double	Other _____ (<i>select one</i>)
----------------------	---	--	--	--------	--------	-----------------------------------

Does it set seed? Yes No (<i>circle one</i>) If yes -->	Is the seed viable? Yes No (<i>circle one</i>)	Seed Pod Color:
---	--	-----------------

- - REGISTRAR USE ONLY - -

Registration Received:	Date:
Registered (or Rejected):	Date:
Name Reserved:	Date: